

# Scala By Example

DRAFT

November 16, 2005

**Martin Odersky**

PROGRAMMING METHODS LABORATORY  
EPFL  
SWITZERLAND



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>A First Example</b>	<b>3</b>
<b>3</b>	<b>Programming with Actors and Messages</b>	<b>7</b>
<b>4</b>	<b>Expressions and Simple Functions</b>	<b>11</b>
4.1	Expressions And Simple Functions . . . . .	11
4.2	Parameters . . . . .	12
4.3	Conditional Expressions . . . . .	15
4.4	Example: Square Roots by Newton's Method . . . . .	15
4.5	Nested Functions . . . . .	16
4.6	Tail Recursion . . . . .	18
<b>5</b>	<b>First-Class Functions</b>	<b>21</b>
5.1	Anonymous Functions . . . . .	22
5.2	Currying . . . . .	23
5.3	Example: Finding Fixed Points of Functions . . . . .	25
5.4	Summary . . . . .	27
5.5	Language Elements Seen So Far . . . . .	28
<b>6</b>	<b>Classes and Objects</b>	<b>31</b>
<b>7</b>	<b>Case Classes and Pattern Matching</b>	<b>43</b>
7.1	Case Classes and Case Objects . . . . .	46
7.2	Pattern Matching . . . . .	47
<b>8</b>	<b>Generic Types and Methods</b>	<b>51</b>
8.1	Type Parameter Bounds . . . . .	53
8.2	Variance Annotations . . . . .	55

8.3	Lower Bounds . . . . .	57
8.4	Least Types . . . . .	57
8.5	Tuples . . . . .	59
8.6	Functions . . . . .	60
<b>9</b>	<b>Lists</b>	<b>63</b>
9.1	Using Lists . . . . .	63
9.2	Definition of class List I: First Order Methods . . . . .	65
9.3	Example: Merge sort . . . . .	68
9.4	Definition of class List II: Higher-Order Methods . . . . .	70
9.5	Summary . . . . .	76
<b>10</b>	<b>For-Comprehensions</b>	<b>79</b>
10.1	The N-Queens Problem . . . . .	80
10.2	Querying with For-Comprehensions . . . . .	81
10.3	Translation of For-Comprehensions . . . . .	82
10.4	For-Loops . . . . .	84
10.5	Generalizing For . . . . .	84
<b>11</b>	<b>Mutable State</b>	<b>87</b>
11.1	Stateful Objects . . . . .	87
11.2	Imperative Control Structures . . . . .	91
11.3	Extended Example: Discrete Event Simulation . . . . .	92
11.4	Summary . . . . .	97
<b>12</b>	<b>Computing with Streams</b>	<b>99</b>
<b>13</b>	<b>Iterators</b>	<b>103</b>
13.1	Iterator Methods . . . . .	103
13.2	Constructing Iterators . . . . .	106
13.3	Using Iterators . . . . .	107
<b>14</b>	<b>Combinator Parsing</b>	<b>109</b>
14.1	Simple Combinator Parsing . . . . .	109
14.2	Parsers that Produce Results . . . . .	113

---

<b>15 Hindley/Milner Type Inference</b>	<b>119</b>
<b>16 Abstractions for Concurrency</b>	<b>129</b>
16.1 Signals and Monitors . . . . .	129
16.2 SyncVars . . . . .	131
16.3 Futures . . . . .	131
16.4 Parallel Computations . . . . .	132
16.5 Semaphores . . . . .	133
16.6 Readers/Writers . . . . .	133
16.7 Asynchronous Channels . . . . .	134
16.8 Synchronous Channels . . . . .	135
16.9 Workers . . . . .	136
16.10 Mailboxes . . . . .	138
16.11 Actors . . . . .	141



# Chapter 1

## Introduction

Scala smoothly integrates object-oriented and functional programming. It is designed to express common programming patterns in a concise, elegant, and type-safe way. Scala introduces several innovative language constructs. For instance:

- Abstract types and mixin composition unify concepts from object and module systems.
- Pattern matching over class hierarchies unifies functional and object-oriented data access. It greatly simplifies the processing of XML trees.
- A flexible syntax and type system enables the construction of advanced libraries and new domain specific languages.

At the same time, Scala is compatible with Java. Java libraries and frameworks can be used without glue code or additional declarations.

This document introduces Scala in an informal way, through a sequence of examples.

Chapters 2 and 3 highlight some of the features that make Scala interesting. The following chapters introduce the language constructs of Scala in a more thorough way, starting with simple expressions and functions, and working up through objects and classes, lists and streams, mutable state, pattern matching to more complete examples that show interesting programming techniques. The present informal exposition is meant to be complemented by the Scala Language Reference Manual which specifies Scala in a more detailed and precise way.

**Acknowledgment.** We owe a great debt to Abelson's and Sussman's wonderful book "Structure and Interpretation of Computer Programs" [ASS96]. Many of their examples and exercises are also present here. Of course, the working language has in each case been changed from Scheme to Scala. Furthermore, the examples make use of Scala's object-oriented constructs where appropriate.





## Chapter 2

# A First Example

As a first example, here is an implementation of Quicksort in Scala.

```
def sort(xs: Array[Int]): Unit = {  
  def swap(i: Int, j: Int): Unit = {  
    val t = xs(i); xs(i) = xs(j); xs(j) = t;  
  }  
  def sort1(l: Int, r: Int): Unit = {  
    val pivot = xs((l + r) / 2);  
    var i = l, j = r;  
    while (i <= j) {  
      while (xs(i) < pivot) { i = i + 1 }  
      while (xs(j) > pivot) { j = j - 1 }  
      if (i <= j) {  
        swap(i, j);  
        i = i + 1;  
        j = j - 1;  
      }  
    }  
    if (l < j) sort1(l, j);  
    if (j < r) sort1(i, r);  
  }  
  sort1(0, xs.length - 1);  
}
```

The implementation looks quite similar to what one would write in Java or C. We use the same operators and similar control structures. There are also some minor syntactical differences. In particular:

- Definitions start with a reserved word. Function definitions start with **def**, variable definitions start with **var** and definitions of values (i.e. read only variables) start with **val**.

- The declared type of a symbol is given after the symbol and a colon. The declared type can often be omitted, because the compiler can infer it from the context.
- We use `unit` instead of `void` to define the result type of a procedure.
- Array types are written `Array[T]` rather than `T[]`, and array selections are written `a(i)` rather than `a[i]`.
- Functions can be nested inside other functions. Nested functions can access parameters and local variables of enclosing functions. For instance, the name of the array `a` is visible in functions `swap` and `sort1`, and therefore need not be passed as a parameter to them.

So far, Scala looks like a fairly conventional language with some syntactic peculiarities. In fact it is possible to write programs in a conventional imperative or object-oriented style. This is important because it is one of the things that makes it easy to combine Scala components with components written in mainstream languages such as Java, C# or Visual Basic.

However, it is also possible to write programs in a style which looks completely different. Here is Quicksort again, this time written in functional style.

```
def sort(xs: List[int]): List[int] =
  if (xs.length <= 1) xs
  else {
    val pivot = xs(xs.length / 2);
    sort(xs.filter(x => x < pivot))
    ::: xs.filter(x => x == pivot)
    ::: sort(xs.filter(x => x > pivot))
  }
```

The functional program works with lists instead of arrays.<sup>1</sup> It captures the essence of the quicksort algorithm in a concise way:

- If the list is empty or consists of a single element, it is already sorted, so return it immediately.
- If the list is not empty, pick an element in the middle of it as a pivot.
- Partition the lists into two sub-lists containing elements that are less than, respectively greater than the pivot element, and a third list which contains elements equal to pivot.
- Sort the first two sub-lists by a recursive invocation of the sort function.<sup>2</sup>

<sup>1</sup>In a future complete implementation of Scala, we could also have used arrays instead of lists, but at the moment arrays do not yet support `filter` and `:::`.

<sup>2</sup>This is not quite what the imperative algorithm does; the latter partitions the array into two sub-arrays containing elements less than or greater or equal to pivot.

- The result is obtained by appending the three sub-lists together.

Both the imperative and the functional implementation have the same asymptotic complexity –  $O(N \log(N))$  in the average case and  $O(N^2)$  in the worst case. But where the imperative implementation operates in place by modifying the argument array, the functional implementation returns a new sorted list and leaves the argument list unchanged. The functional implementation thus requires more transient memory than the imperative one.

The functional implementation makes it look like Scala is a language that's specialized for functional operations on lists. In fact, it is not; all of the operations used in the example are simple library methods of a class `List[t]` which is part of the standard Scala library, and which itself is implemented in Scala.

In particular, there is the method `filter` which takes as argument a *predicate function* that maps list elements to boolean values. The result of `filter` is a list consisting of all the elements of the original list for which the given predicate function is true. The `filter` method of an object of type `List[t]` thus has the signature

```
def filter(p: t => boolean): List[t]
```

Here, `t => boolean` is the type of functions that take an element of type `t` and return a boolean. Functions like `filter` that take another function as argument or return one as result are called *higher-order* functions.

In the quicksort program, `filter` is applied three times to an anonymous function argument. The first argument, `x => x <= pivot` represents the function that maps its parameter `x` to the boolean value `x <= pivot`. That is, it yields true if `x` is smaller or equal than `pivot`, false otherwise. The function is anonymous, i.e. it is not defined with a name. The type of the `x` parameter is omitted because a Scala compiler can infer it automatically from the context where the function is used. To summarize, `xs.filter(x => x <= pivot)` returns a list consisting of all elements of the list `xs` that are smaller than `pivot`.

An object of type `List[t]` also has a method `:::` which takes an another list and which returns the result of appending this list to itself. This method has the signature

```
def :::(that: List[t]): List[t]
```

Scala does not distinguish between identifiers and operator names. An identifier can be either a sequence of letters and digits which begins with a letter, or it can be a sequence of special characters, such as `+`, `*`, or `:`. The last definition thus introduced a new method identifier `:::`. This identifier is used in the Quicksort example as a binary infix operator that connects the two sub-lists resulting from the partition. In fact, any method can be used as an operator in Scala. The binary operation  $E \text{ op } E'$  is always interpreted as the method call  $E.op(E')$ . This holds also for binary infix operators which start with a letter. The recursive call to sort in the

last quicksort example is thus equivalent to

```
sort(a.filter(x => x < pivot))  
  :::(sort(a.filter(x => x == pivot)))  
  :::(sort(a.filter(x => x > pivot)))
```

Looking again in detail at the first, imperative implementation of Quicksort, we find that many of the language constructs used in the second solution are also present, albeit in a disguised form.

For instance, “standard” binary operators such as `+`, `-`, or `<` are not treated in any special way. Like `append`, they are methods of their left operand. Consequently, the expression `i + 1` is regarded as the invocation `i.+(1)` of the `+` method of the integer value `x`. Of course, a compiler is free (if it is moderately smart, even expected) to recognize the special case of calling the `+` method over integer arguments and to generate efficient inline code for it.

For efficiency and better error diagnostics the **while** loop is a primitive construct in Scala. But in principle, it could have just as well been a predefined function. Here is a possible implementation of it:

```
def While (p: => boolean) (s: => unit): unit =  
  if (p) { s ; While(p)(s) }
```

The `While` function takes as first parameter a test function, which takes no parameters and yields a boolean value. As second parameter it takes a command function which also takes no parameters and yields a trivial result. `While` invokes the command function as long as the test function yields true.

## Chapter 3

# Programming with Actors and Messages

Here's an example that shows an application area for which Scala is particularly well suited. Consider the task of implementing an electronic auction service. We use an Erlang-style actor process model to implement the participants of the auction. Actors are objects to which messages are sent. Every process has a “mailbox” of its incoming messages which is represented as a queue. It can work sequentially through the messages in its mailbox, or search for messages matching some pattern.

For every traded item there is an auctioneer process that publishes information about the traded item, that accepts offers from clients and that communicates with the seller and winning bidder to close the transaction. We present an overview of a simple implementation here.

As a first step, we define the messages that are exchanged during an auction. There are two abstract base classes (called *traits*): `AuctionMessage` for messages from clients to the auction service, and `AuctionReply` for replies from the service to the clients. For both base classes there exists a number of cases, which are defined in Figure 3.1.

For each base class, there are a number of *case classes* which define the format of particular messages in the class. These messages might well be ultimately mapped to small XML documents. We expect automatic tools to exist that convert between XML documents and internal data structures like the ones defined above.

Figure 3.2 presents a Scala implementation of a class `Auction` for auction processes that coordinate the bidding on one item. Objects of this class are created by indicating

- a seller process which needs to be notified when the auction is over,
- a minimal bid,
- the date when the auction is to be closed.

```
trait AuctionMessage;
case class Offer(bid: int, client: Actor) extends AuctionMessage;
case class Inquire(client: Actor) extends AuctionMessage;

trait AuctionReply;
case class Status(asked: int, expire: Date) extends AuctionReply;
case object BestOffer extends AuctionReply;
case class BeatenOffer(maxBid: int) extends AuctionReply;
case class AuctionConcluded(seller: Actor, client: Actor) extends AuctionReply;
case object AuctionFailed extends AuctionReply;
case object AuctionOver extends AuctionReply;
```

**Listing 3.1:** Implementation of an Auction Service

The process behavior is defined by its run method. That method repeatedly selects (using `receiveWithin`) a message and reacts to it, until the auction is closed, which is signaled by a `TIMEOUT` message. Before finally stopping, it stays active for another period determined by the `timeToShutdown` constant and replies to further offers that the auction is closed.

Here are some further explanations of the constructs used in this program:

- The `receiveWithin` method of class `Actor` takes as parameters a time span given in milliseconds and a function that processes messages in the mailbox. The function is given by a sequence of cases that each specify a pattern and an action to perform for messages matching the pattern. The `receiveWithin` method selects the first message in the mailbox which matches one of these patterns and applies the corresponding action to it.
- The last case of `receiveWithin` is guarded by a `TIMEOUT` pattern. If no other messages are received in the meantime, this pattern is triggered after the time span which is passed as argument to the enclosing `receiveWithin` method. `TIMEOUT` is a particular instance of class `Message`, which is triggered by the `Actor` implementation itself.
- Reply messages are sent using syntax of the form `destination send SomeMessage`. `send` is used here as a binary operator with a process and a message as arguments. This is equivalent in Scala to the method call `destination.send(SomeMessage)`, i.e. the invocation of the `send` of the destination process with the given message as parameter.

The preceding discussion gave a flavor of distributed programming in Scala. It might seem that Scala has a rich set of language constructs that support actor processes, message sending and receiving, programming with timeouts, etc. In fact, the

```

class Auction(seller: Actor, minBid: int, closing: Date) extends Actor {
  val timeToShutdown = 36000000; // msec
  val bidIncrement = 10;
  override def run() = {
    var maxBid = minBid - bidIncrement;
    var maxBidder: Actor = _;
    var running = true;
    while (running) {
      receiveWithin ((closing.getTime() - new Date().getTime())) {
        case Offer(bid, client) =>
          if (bid >= maxBid + bidIncrement) {
            if (maxBid >= minBid) maxBidder send BeatenOffer(bid);
            maxBid = bid; maxBidder = client; client send BestOffer;
          } else {
            client send BeatenOffer(maxBid);
          }
        case Inquire(client) =>
          client send Status(maxBid, closing);
        case TIMEOUT =>
          if (maxBid >= minBid) {
            val reply = AuctionConcluded(seller, maxBidder);
            maxBidder send reply; seller send reply;
          } else {
            seller send AuctionFailed;
          }
      }
      receiveWithin(timeToShutdown) {
        case Offer(_, client) => client send AuctionOver
        case TIMEOUT => running = false;
      }
    }
  }
}

```

**Listing 3.2:** Implementation of an Auction Service

opposite is true. All the constructs discussed above are offered as methods in the library class `Actor`. That class is itself implemented in Scala, based on the underlying thread model of the host language (e.g. Java, or .NET). The implementation of all features of class `Actor` used here is given in Section 16.11.

The advantages of the library-based approach are relative simplicity of the core language and flexibility for library designers. Because the core language need not specify details of high-level process communication, it can be kept simpler and more general. Because the particular model of messages in a mailbox is a library module, it can be freely modified if a different model is needed in some applications. The approach requires however that the core language is expressive enough to provide the necessary language abstractions in a convenient way. Scala has been designed with this in mind; one of its major design goals was that it should be flexible enough to act as a convenient host language for domain specific languages implemented by library modules. For instance, the actor communication constructs presented above can be regarded as one such domain specific language, which conceptually extends the Scala core.



## Chapter 4

# Expressions and Simple Functions

The previous examples gave an impression of what can be done with Scala. We now introduce its constructs one by one in a more systematic fashion. We start with the smallest level, expressions and functions.

### 4.1 Expressions And Simple Functions

A Scala system comes with an interpreter which can be seen as a fancy calculator. A user interacts with the calculator by typing in expressions. The calculator returns the evaluation results and their types. Example:

```
> 87 + 145  
232: scala.Int
```

```
> 5 + 2 * 3  
11: scala.Int
```

```
> "hello" + " world!"  
hello world: scala.String
```

It is also possible to name a sub-expression and use the name instead of the expression afterwards:

```
> def scale = 5  
def scale: int
```

```
> 7 * scale  
35: scala.Int
```

```
> def pi = 3.141592653589793  
def pi: scala.Double
```

```
> def radius = 10
def radius: scala.Int

> 2 * pi * radius
62.83185307179586: scala.Double
```

Definitions start with the reserved word **def**; they introduce a name which stands for the expression following the = sign. The interpreter will answer with the introduced name and its type.

Executing a definition such as **def** *x* = *e* will not evaluate the expression *e*. Instead *e* is evaluated whenever *x* is used. Alternatively, Scala offers a value definition **val** *x* = *e*, which does evaluate the right-hand-side *e* as part of the evaluation of the definition. If *x* is then used subsequently, it is immediately replaced by the pre-computed value of *e*, so that the expression need not be evaluated again.

How are expressions evaluated? An expression consisting of operators and operands is evaluated by repeatedly applying the following simplification steps.

- pick the left-most operation
- evaluate its operands
- apply the operator to the operand values.

A name defined by **def** is evaluated by replacing the name by the (unevaluated) definition's right hand side. A name defined by **val** is evaluated by replacing the name by the value of the definitions's right-hand side. The evaluation process stops once we have reached a value. A value is some data item such as a string, a number, an array, or a list.

**Example 4.1.1** Here is an evaluation of an arithmetic expression.

```
(2 * pi) * radius
→ (2 * 3.141592653589793) * radius
→ 6.283185307179586 * radius
→ 6.283185307179586 * 10
→ 62.83185307179586
```

The process of stepwise simplification of expressions to values is called *reduction*.

## 4.2 Parameters

Using **def**, one can also define functions with parameters. Example:

```
> def square(x: double) = x * x
def (x: double): scala.Double

> square(2)
4.0: scala.Double

> square(5 + 3)
64.0: scala.Double

> square(square(4))
256.0: scala.Double

> def sumOfSquares(x: double, y: double) = square(x) + square(y)
def sumOfSquares(scala.Double,scala.Double): scala.Double

> sumOfSquares(3, 2 + 2)
25.0: scala.Double
```

Function parameters follow the function name and are always enclosed in parentheses. Every parameter comes with a type, which is indicated following the parameter name and a colon. At the present time, we only need basic numeric types such as the type `scala.Double` of double precision numbers. Scala defines *type aliases* for some standard types, so we can write numeric types as in Java. For instance `double` is a type alias of `scala.Double` and `int` is a type alias for `scala.Int`.

Functions with parameters are evaluated analogously to operators in expressions. First, the arguments of the function are evaluated (in left-to-right order). Then, the function application is replaced by the function's right hand side, and at the same time all formal parameters of the function are replaced by their corresponding actual arguments.

#### Example 4.2.1

```
    sumOfSquares(3, 2+2)
→  sumOfSquares(3, 4)
→  square(3) + square(4)
→  3 * 3 + square(4)
→  9 + square(4)
→  9 + 4 * 4
→  9 + 16
→  25
```

The example shows that the interpreter reduces function arguments to values before rewriting the function application. One could instead have chosen to apply the function to unreduced arguments. This would have yielded the following reduction sequence:



^C

### 4.3 Conditional Expressions

Scala's **if-else** lets one choose between two alternatives. Its syntax is like Java's **if-else**. But where Java's **if-else** can be used only as an alternative of statements, Scala allows the same syntax to choose between two expressions. That's why Scala's **if-else** serves also as a substitute for Java's conditional expression `... ? ... : ....`

#### Example 4.3.1

```
> def abs(x: double) = if (x >= 0) x else -x
abs(x: double): double
```

Scala's boolean expressions are similar to Java's; they are formed from the constants **true** and **false**, comparison operators, boolean negation **!** and the boolean operators **&&** and **||**.

### 4.4 Example: Square Roots by Newton's Method

We now illustrate the language elements introduced so far in the construction of a more interesting program. The task is to write a function

```
def sqrt(x: double): double = ...
```

which computes the square root of  $x$ .

A common way to compute square roots is by Newton's method of successive approximations. One starts with an initial guess  $y$  (say:  $y = 1$ ). One then repeatedly improves the current guess  $y$  by taking the average of  $y$  and  $x/y$ . As an example, the next three columns indicate the guess  $y$ , the quotient  $x/y$ , and their average for the first approximations of  $\sqrt{2}$ .

1	$2/1 = 2$	1.5
1.5	$2/1.5 = 1.3333$	1.4167
1.4167	$2/1.4167 = 1.4118$	1.4142
1.4142	...	...
$y$	$x/y$	$(y + x/y)/2$

One can implement this algorithm in Scala by a set of small functions, which each represent one of the elements of the algorithm.

We first define a function for iterating from a guess to the result:

```
def sqrtIter(guess: double, x: double): double =  
  if (isGoodEnough(guess, x)) guess  
  else sqrtIter(improve(guess, x), x);
```

Note that `sqrtIter` calls itself recursively. Loops in imperative programs can always be modeled by recursion in functional programs.

Note also that the definition of `sqrtIter` contains a return type, which follows the parameter section. Such return types are mandatory for recursive functions. For a non-recursive function, the return type is optional; if it is missing the type checker will compute it from the type of the function's right-hand side. However, even for non-recursive functions it is often a good idea to include a return type for better documentation.

As a second step, we define the two functions called by `sqrtIter`: a function to improve the guess and a termination test `isGoodEnough`. Here is their definition.

```
def improve(guess: double, x: double) =  
  (guess + x / guess) / 2;  
  
def isGoodEnough(guess: double, x: double) =  
  abs(square(guess) - x) < 0.001;
```

Finally, the `sqrt` function itself is defined by an application of `sqrtIter`.

```
def sqrt(x: double) = sqrtIter(1.0, x);
```

**Exercise 4.4.1** The `isGoodEnough` test is not very precise for small numbers and might lead to non-termination for very large ones (why?). Design a different version of `isGoodEnough` which does not have these problems.

**Exercise 4.4.2** Trace the execution of the `sqrt(4)` expression.

## 4.5 Nested Functions

The functional programming style encourages the construction of many small helper functions. In the last example, the implementation of `sqrt` made use of the helper functions `sqrtIter`, `improve` and `isGoodEnough`. The names of these functions are relevant only for the implementation of `sqrt`. We normally do not want users of `sqrt` to access these functions directly.

We can enforce this (and avoid name-space pollution) by including the helper functions within the calling function itself:

```
def sqrt(x: double) = {  
  def sqrtIter(guess: double, x: double): double =
```

```
    if (isGoodEnough(guess, x)) guess
    else sqrtIter(improve(guess, x), x);
  def improve(guess: double, x: double) =
    (guess + x / guess) / 2;
  def isGoodEnough(guess: double, x: double) =
    abs(square(guess) - x) < 0.001;
  sqrtIter(1.0, x)
}
```

In this program, the braces { ... } enclose a *block*. Blocks in Scala are themselves expressions. Every block ends in a result expression which defines its value. The result expression may be preceded by auxiliary definitions, which are visible only in the block itself.

Every definition in a block must be followed by a semicolon, which separates this definition from subsequent definitions or the result expression. However, a semicolon is inserted implicitly if the definition ends in a right brace and is followed by a new line. Therefore, the following are all legal:

```
def f(x) = x + 1; /* ';' mandatory */
f(1) + f(2)

def g(x) = {x + 1}
g(1) + g(2)

def h(x) = {x + 1}; /* ';' mandatory */ h(1) + h(2)
```

Scala uses the usual block-structured scoping rules. A name defined in some outer block is visible also in some inner block, provided it is not redefined there. This rule permits us to simplify our sqrt example. We need not pass x around as an additional parameter of the nested functions, since it is always visible in them as a parameter of the outer function sqrt. Here is the simplified code:

```
def sqrt(x: double) = {
  def sqrtIter(guess: double): double =
    if (isGoodEnough(guess)) guess
    else sqrtIter(improve(guess));
  def improve(guess: double) =
    (guess + x / guess) / 2;
  def isGoodEnough(guess: double) =
    abs(square(guess) - x) < 0.001;
  sqrtIter(1.0)
}
```

## 4.6 Tail Recursion

Consider the following function to compute the greatest common divisor of two given numbers.

```
def gcd(a: int, b: int): int = if (b == 0) a else gcd(b, a % b)
```

Using our substitution model of function evaluation, `gcd(14, 21)` evaluates as follows:

```
gcd(14, 21)
→ if (21 == 0) 14 else gcd(21, 14 % 21)
→ if (false) 14 else gcd(21, 14 % 21)
→ gcd(21, 14 % 21)
→ gcd(21, 14)
→ if (14 == 0) 21 else gcd(14, 21 % 14)
→ → gcd(14, 21 % 14)
→ gcd(14, 7)
→ if (7 == 0) 14 else gcd(7, 14 % 7)
→ → gcd(7, 14 % 7)
→ gcd(7, 0)
→ if (0 == 0) 7 else gcd(0, 7 % 0)
→ → 7
```

Contrast this with the evaluation of another recursive function, `factorial`:

```
def factorial(n: int): int = if (n == 0) 1 else n * factorial(n - 1)
```

The application `factorial(5)` rewrites as follows:

```
factorial(5)
→ if (5 == 0) 1 else 5 * factorial(5 - 1)
→ 5 * factorial(5 - 1)
→ 5 * factorial(4)
→ ... → 5 * (4 * factorial(3))
→ ... → 5 * (4 * (3 * factorial(2)))
→ ... → 5 * (4 * (3 * (2 * factorial(1))))
→ ... → 5 * (4 * (3 * (2 * (1 * factorial(0)))))
→ ... → 5 * (4 * (3 * (2 * (1 * 1))))
→ ... → 120
```

There is an important difference between the two rewrite sequences: The terms in the rewrite sequence of `gcd` have again and again the same form. As evaluation proceeds, their size is bounded by a constant. By contrast, in the evaluation of `factorial` we get longer and longer chains of operands which are then multiplied in the last part of the evaluation sequence.



Even though actual implementations of Scala do not work by rewriting terms, they nevertheless should have the same space behavior as in the rewrite sequences. In the implementation of `gcd`, one notes that the recursive call to `gcd` is the last action performed in the evaluation of its body. One also says that `gcd` is “tail-recursive”. The final call in a tail-recursive function can be implemented by a jump back to the beginning of that function. The arguments of that call can overwrite the parameters of the current instantiation of `gcd`, so that no new stack space is needed. Hence, tail recursive functions are iterative processes, which can be executed in constant space.

By contrast, the recursive call in `factorial` is followed by a multiplication. Hence, a new stack frame is allocated for the recursive instance of `factorial`, and is deallocated after that instance has finished. The given formulation of the `factorial` function is not tail-recursive; it needs space proportional to its input parameter for its execution.

More generally, if the last action of a function is a call to another (possibly the same) function, only a single stack frame is needed for both functions. Such calls are called “tail calls”. In principle, tail calls can always re-use the stack frame of the calling function. However, some run-time environments (such as the Java VM) lack the primitives to make stack frame re-use for tail calls efficient. A production quality Scala implementation is therefore only required to re-use the stack frame of a directly tail-recursive function whose last action is a call to itself. Other tail calls might be optimized also, but one should not rely on this across implementations.

**Exercise 4.6.1** Design a tail-recursive version of `factorial`.



## Chapter 5

# First-Class Functions

A function in Scala is a “first-class value”. Like any other value, it may be passed as a parameter or returned as a result. Functions which take other functions as parameters or return them as results are called *higher-order* functions. This chapter introduces higher-order functions and shows how they provide a flexible mechanism for program composition.

As a motivating example, consider the following three related tasks:

1. Write a function to sum all integers between two given numbers  $a$  and  $b$ :

```
def sumInts(a: Int, b: Int): Int =  
  if (a > b) 0 else a + sumInts(a + 1, b);
```

2. Write a function to sum the squares of all integers between two given numbers  $a$  and  $b$ :

```
def square(x: Int): Int = x * x;  
def sumSquares(a: Int, b: Int): Int =  
  if (a > b) 0 else square(a) + sumSquares(a + 1, b);
```

3. Write a function to sum the powers  $2^n$  of all integers  $n$  between two given numbers  $a$  and  $b$ :

```
def powerOfTwo(x: Int): Int = if (x == 0) 1 else x * powerOfTwo(x - 1);  
def sumPowersOfTwo(a: Int, b: Int): Int =  
  if (a > b) 0 else powerOfTwo(a) + sumPowersOfTwo(a + 1, b);
```

These functions are all instances of  $\sum_a^b f(n)$  for different values of  $f$ . We can factor out the common pattern by defining a function `sum`:

```
def sum(f: Int => Int, a: Int, b: Int): Int =  
  if (a > b) 0 else f(a) + sum(f, a + 1, b);
```

The type `int => int` is the type of functions that take arguments of type `int` and return results of type `int`. So `sum` is a function which takes another function as a parameter. In other words, `sum` is a *higher-order* function.

Using `sum`, we can formulate the three summing functions as follows.

```
def sumInts(a: int, b: int): int = sum(id, a, b);
def sumSquares(a: int, b: int): int = sum(square, a, b);
def sumPowersOfTwo(a: int, b: int): int = sum(powerOfTwo, a, b);
```

where

```
def id(x: int): int = x;
def square(x: int): int = x * x;
def powerOfTwo(x: int): int = if (x == 0) 1 else x * powerOfTwo(x - 1);
```

## 5.1 Anonymous Functions

Parameterization by functions tends to create many small functions. In the previous example, we defined `id`, `square` and `power` as separate functions, so that they could be passed as arguments to `sum`.

Instead of using named function definitions for these small argument functions, we can formulate them in a shorter way as *anonymous functions*. An anonymous function is an expression that evaluates to a function; the function is defined without giving it a name. As an example consider the anonymous square function:

```
x: int => x * x
```

The part before the arrow `'=>'` is the parameter of the function, whereas the part following the `'=>'` is its body. If there are several parameters, we need to enclose them in parentheses. For instance, here is an anonymous function which multiplies its two arguments.

```
(x: int, y: int) => x * y
```

Using anonymous functions, we can reformulate the first two summation functions without named auxiliary functions:

```
def sumInts(a: int, b: int): int = sum(x: int => x, a, b);
def sumSquares(a: int, b: int): int = sum(x: int => x * x, a, b);
```

Often, the Scala compiler can deduce the parameter type(s) from the context of the anonymous function in which case they can be omitted. For instance, in the case of `sumInts` or `sumSquares`, one knows from the type of `sum` that the first parameter must be a function of type `int => int`. Hence, the parameter type `int` is redundant

and may be omitted:

```
def sumInts(a: int, b: int): int = sum(x => x, a, b);
def sumSquares(a: int, b: int): int = sum(x => x * x, a, b);
```

Generally, the Scala term  $(x_1: T_1, \dots, x_n: T_n) \Rightarrow E$  defines a function which maps its parameters  $x_1, \dots, x_n$  to the result of the expression  $E$  (where  $E$  may refer to  $x_1, \dots, x_n$ ). Anonymous functions are not essential language elements of Scala, as they can always be expressed in terms of named functions. Indeed, the anonymous function

$$(x_1: T_1, \dots, x_n: T_n) \Rightarrow E$$

is equivalent to the block

```
{ def f (x1: T1, ..., xn: Tn) = E ; f }
```

where  $f$  is fresh name which is used nowhere else in the program. We also say, anonymous functions are “syntactic sugar”.

## 5.2 Currying

The latest formulation of the summing functions is already quite compact. But we can do even better. Note that  $a$  and  $b$  appear as parameters and arguments of every function but they do not seem to take part in interesting combinations. Is there a way to get rid of them?

Let’s try to rewrite `sum` so that it does not take the bounds  $a$  and  $b$  as parameters:

```
def sum(f: int => int) = {
  def sumF(a: int, b: int): int =
    if (a > b) 0 else f(a) + sumF(a + 1, b);
  sumF
}
```

In this formulation, `sum` is a function which returns another function, namely the specialized summing function `sumF`. This latter function does all the work; it takes the bounds  $a$  and  $b$  as parameters, applies `sum`’s function parameter  $f$  to all integers between them, and sums up the results.

Using this new formulation of `sum`, we can now define:

```
def sumInts = sum(x => x);
def sumSquares = sum(x => x * x);
def sumPowersOfTwo = sum(powerOfTwo);
```

Or, equivalently, with value definitions:

```

val sumInts = sum(x => x);
val sumSquares = sum(x => x * x);
val sumPowersOfTwo = sum(powerOfTwo);

```

These functions can be applied like other functions. For instance,

```

> sumSquares(1, 10) + sumPowersOfTwo(10, 20)
267632001: scala.Int

```

How are function-returning functions applied? As an example, in the expression

```
sum(x => x * x)(1, 10) ,
```

the function `sum` is applied to the squaring function `(x => x * x)`. The resulting function is then applied to the second argument list, `(1, 10)`.

This notation is possible because function application associates to the left. That is, if  $\text{args}_1$  and  $\text{args}_2$  are argument lists, then

$$f(\text{args}_1)(\text{args}_2) \text{ is equivalent to } (f(\text{args}_1))(\text{args}_2)$$

In our example, `sum(x => x * x)(1, 10)` is equivalent to the following expression: `(sum(x => x * x))(1, 10)`.

The style of function-returning functions is so useful that Scala has special syntax for it. For instance, the next definition of `sum` is equivalent to the previous one, but is shorter:

```

def sum(f: int => int)(a: int, b: int): int =
  if (a > b) 0 else f(a) + sum(f)(a + 1, b);

```

Generally, a curried function definition

```
def f (args1) ... (argsn) = E
```

where  $n > 1$  expands to

```
def f (args1) ... (argsn-1) = { def g (argsn) = E ; g }
```

where `g` is a fresh identifier. Or, shorter, using an anonymous function:

```
def f (args1) ... (argsn-1) = ( argsn ) => E .
```

Performing this step  $n$  times yields that

```
def f (args1) ... (argsn) = E
```

is equivalent to

```
def f = (args1) => ... => (argsn) => E .
```

Or, equivalently, using a value definition:

```
val f = (args1) => ... => (argsn) => E .
```

This style of function definition and application is called *currying* after its promoter, Haskell B. Curry, a logician of the 20th century, even though the idea goes back further to Moses Schönfinkel and Gottlob Frege.

The type of a function-returning function is expressed analogously to its parameter list. Taking the last formulation of `sum` as an example, the type of `sum` is  $(\text{int} \Rightarrow \text{int}) \Rightarrow (\text{int}, \text{int}) \Rightarrow \text{int}$ . This is possible because function types associate to the right. I.e.

$$T_1 \Rightarrow T_2 \Rightarrow T_3 \quad \text{is equivalent to} \quad T_1 \Rightarrow (T_2 \Rightarrow T_3)$$

**Exercise 5.2.1** 1. The `sum` function uses a linear recursion. Can you write a tail-recursive one by filling in the ??'s?

```
def sum(f: int => double)(a: int, b: int): double = {
  def iter(a, result) = {
    if (??) ??
    else iter(??, ??)
  }
  iter(??, ??)
}
```

**Exercise 5.2.2** Write a function `product` that computes the product of the values of functions at points over a given range.

**Exercise 5.2.3** Write `factorial` in terms of `product`.

**Exercise 5.2.4** Can you write an even more general function which generalizes both `sum` and `product`?

## 5.3 Example: Finding Fixed Points of Functions

A number  $x$  is called a *fixed point* of a function  $f$  if

$$f(x) = x .$$

For some functions  $f$  we can locate the fixed point by beginning with an initial guess and then applying  $f$  repeatedly, until the value does not change anymore (or the change is within a small tolerance). This is possible if the sequence

$$x, f(x), f(f(x)), f(f(f(x))), \dots$$

converges to fixed point of  $f$ . This idea is captured in the following “fixed-point finding function”:

```

val tolerance = 0.0001;
def isCloseEnough(x: double, y: double) = abs((x - y) / x) < tolerance;
def fixedPoint(f: double => double)(firstGuess: double) = {
  def iterate(guess: double): double = {
    val next = f(guess);
    if (isCloseEnough(guess, next)) next
    else iterate(next)
  }
  iterate(firstGuess)
}

```

We now apply this idea in a reformulation of the square root function. Let’s start with a specification of `sqrt`:

```

sqrt(x)  = the y such that  y * y = x
          = the y such that  y = x / y

```

Hence, `sqrt(x)` is a fixed point of the function  $y \Rightarrow x / y$ . This suggests that `sqrt(x)` can be computed by fixed point iteration:

```

def sqrt(x: double) = fixedPoint(y => x / y)(1.0)

```

But if we try this, we find that the computation does not converge. Let’s instrument the fixed point function with a print statement which keeps track of the current guess value:

```

def fixedPoint(f: double => double)(firstGuess: double) = {
  def iterate(guess: double): double = {
    val next = f(guess);
    System.out.println(next);
    if (isCloseEnough(guess, next)) next
    else iterate(next)
  }
  iterate(firstGuess)
}

```

Then, `sqrt(2)` yields:

```

2.0
1.0
2.0
1.0
2.0
...

```



One way to control such oscillations is to prevent the guess from changing too much. This can be achieved by *averaging* successive values of the original sequence:

```
> def sqrt(x: double) = fixedPoint(y => (y + x/y) / 2)(1.0)
def sqrt(x: scala.Double): scala.Double
> sqrt(2.0)
1.5
1.4166666666666665
1.4142156862745097
1.4142135623746899
1.4142135623746899
```

In fact, expanding the `fixedPoint` function yields exactly our previous definition of fixed point from Section 4.4.

The previous examples showed that the expressive power of a language is considerably enhanced if functions can be passed as arguments. The next example shows that functions which return functions can also be very useful.

Consider again fixed point iterations. We started with the observation that  $\sqrt{x}$  is a fixed point of the function  $y \Rightarrow x / y$ . Then we made the iteration converge by averaging successive values. This technique of *average damping* is so general that it can be wrapped in another function.

```
def averageDamp(f: double => double)(x: double) = (x + f(x)) / 2;
```

Using `averageDamp`, we can reformulate the square root function as follows.

```
def sqrt(x: double) = fixedPoint(averageDamp(y => x/y))(1.0);
```

This expresses the elements of the algorithm as clearly as possible.

**Exercise 5.3.1** Write a function for cube roots using `fixedPoint` and `averageDamp`.

## 5.4 Summary

We have seen in the previous chapter that functions are essential abstractions, because they permit us to introduce general methods of computing as explicit, named elements in our programming language. The present chapter has shown that these abstractions can be combined by higher-order functions to create further abstractions. As programmers, we should look out for opportunities to abstract and to reuse. The highest possible level of abstraction is not always the best, but it is important to know abstraction techniques, so that one can use abstractions where appropriate.

## 5.5 Language Elements Seen So Far

Chapters 4 and 5 have covered Scala's language elements to express expressions and types comprising of primitive data and functions. The context-free syntax of these language elements is given below in extended Backus-Naur form, where ' $|$ ' denotes alternatives, ' $[ \dots ]$ ' denotes option (0 or 1 occurrence), and ' $\{ \dots \}$ ' denotes repetition (0 or more occurrences).

### Characters

Scala programs are sequences of (Unicode) characters. We distinguish the following character sets:

- whitespace, such as ' ', tabulator, or newline characters,
- letters 'a' to 'z', 'A' to 'Z',
- digits '0' to '9',
- the delimiter characters

. , ; ( ) { } [ ] \ " ' ,

- operator characters, such as '#', '+', ':'. Essentially, these are printable characters which are in none of the character sets above.

### Lexemes:

```
ident    = letter {letter | digit}
          | operator { operator }
          | ident '_' ident
literal  = "as in Java"
```

Literals are as in Java. They define numbers, characters, strings, or boolean values. Examples of literals as 0, 1.0d10, 'x', "he said "hi!""", or **true**.

Identifiers can be of two forms. They either start with a letter, which is followed by a (possibly empty) sequence of letters or symbols, or they start with an operator character, which is followed by a (possibly empty) sequence of operator characters. Both forms of identifiers may contain underscore characters '\_'. Furthermore, an underscore character may be followed by either sort of identifier. Hence, the following are all legal identifiers:

```
x      Room10a      +      --      foldl_:      +_vector
```

It follows from this rule that subsequent operator-identifiers need to be separated by whitespace. For instance, the input `x+-y` is parsed as the three token sequence `x`,

`+ -`, `y`. If we want to express the sum of `x` with the negated value of `y`, we need to add at least one space, e.g. `x+ -y`.

The `$` character is reserved for compiler-generated identifiers; it should not be used in source programs.

The following are reserved words, they may not be used as identifiers:

<code>abstract</code>	<code>case</code>	<code>catch</code>	<code>class</code>	<code>def</code>
<code>do</code>	<code>else</code>	<code>extends</code>	<code>false</code>	<code>final</code>
<code>finally</code>	<code>for</code>	<code>if</code>	<code>import</code>	<code>new</code>
<code>null</code>	<code>object</code>	<code>override</code>	<code>package</code>	<code>private</code>
<code>protected</code>	<code>return</code>	<code>sealed</code>	<code>super</code>	<code>this</code>
<code>trait</code>	<code>try</code>	<code>true</code>	<code>type</code>	<code>val</code>
<code>var</code>	<code>while</code>	<code>with</code>	<code>yield</code>	

`_`    `:`    `=`    `=>`    `<-`    `<:`    `>:`    `#`    `@`

### Types:

```
Type          = SimpleType | FunctionType
FunctionType   = SimpleType '=>' Type | '(' [Types] ')' '=>' Type
SimpleType     = byte | short | char | int | long | double | float |
                boolean | unit | String
Types          = Type {',' Type}
```

Types can be:

- number types `byte`, `short`, `char`, `int`, `long`, `float` and `double` (these are as in Java),
- the type `boolean` with values **true** and **false**,
- the type `unit` with the only value `()`,
- the type `String`,
- function types such as `(int, int) => int` or `String => Int => String`.

### Expressions:

```
Expr          = InfixExpr | FunctionExpr | if '(' Expr ')' Expr else Expr
InfixExpr     = PrefixExpr | InfixExpr Operator InfixExpr
Operator      = ident
PrefixExpr    = ['+' | '-' | '!' | '~'] SimpleExpr
SimpleExpr    = ident | literal | SimpleExpr '.' ident | Block
FunctionExpr  = Bindings '=>' Expr
Bindings      = ident [':' SimpleType] | '(' [Binding {',' Binding}] ')'
Binding       = ident [':' Type]
Block         = '{' {Def ';' } Expr '}'
```

Expressions can be:

- identifiers such as `x`, `isGoodEnough`, `*`, or `+-`,
- literals, such as `0`, `1.0`, or `"abc"`,
- field and method selections, such as `System.out.println`,
- function applications, such as `sqrt(x)`,
- operator applications, such as `-x` or `y + x`,
- conditionals, such as `if (x < 0) -x else x`,
- blocks, such as `{ val x = abs(y) ; x * 2 }`,
- anonymous functions, such as `x => x + 1` or `(x: int, y: int) => x + y`.

### Definitions:

```
Def          = FunDef | ValDef
FunDef       = 'def' ident {'(' [Parameters] ')'} [':' Type] '=' Expr
ValDef       = 'val' ident [':' Type] '=' Expr
Parameters   = Parameter {',' Parameter}
Parameter    = ['def'] ident ':' Type
```

Definitions can be:

- function definitions such as `def square(x: int): int = x * x`,
- value definitions such as `val y = square(2)`.

## Chapter 6

# Classes and Objects

Scala does not have a built-in type of rational numbers, but it is easy to define one, using a class. Here's a possible implementation.

```
class Rational(n: int, d: int) {  
  private def gcd(x: int, y: int): int = {  
    if (x == 0) y  
    else if (x < 0) gcd(-x, y)  
    else if (y < 0) -gcd(x, -y)  
    else gcd(y % x, x);  
  }  
  private val g = gcd(n, d);  
  
  val numer: int = n/g;  
  val denom: int = d/g;  
  def +(that: Rational) =  
    new Rational(numer * that.denom + that.numer * denom,  
                  denom * that.denom);  
  def -(that: Rational) =  
    new Rational(numer * that.denom - that.numer * denom,  
                  denom * that.denom);  
  def *(that: Rational) =  
    new Rational(numer * that.numer, denom * that.denom);  
  def /(that: Rational) =  
    new Rational(numer * that.denom, denom * that.numer);  
}
```

This defines `Rational` as a class which takes two constructor arguments `n` and `d`, containing the number's numerator and denominator parts. The class provides fields which return these parts as well as methods for arithmetic over rational numbers. Each arithmetic method takes as parameter the right operand of the operation. The left operand of the operation is always the rational number of which the

method is a member.

**Private members.** The implementation of rational numbers defines a private method `gcd` which computes the greatest common denominator of two integers, as well as a private field `g` which contains the gcd of the constructor arguments. These members are inaccessible outside class `Rational`. They are used in the implementation of the class to eliminate common factors in the constructor arguments in order to ensure that numerator and denominator are always in normalized form.

**Creating and Accessing Objects.** As an example of how rational numbers can be used, here's a program that prints the sum of all numbers  $1/i$  where  $i$  ranges from 1 to 10.

```
var i = 1;
var x = new Rational(0, 1);
while (i <= 10) {
  x = x + new Rational(1,i);
  i = i + 1;
}
System.out.println("'" + x.numer + "/" + x.denom);
```

The `+` takes as left operand a string and as right operand a value of arbitrary type. It returns the result of converting its right operand to a string and appending it to its left operand.

**Inheritance and Overriding.** Every class in Scala has a superclass which it extends. If a class does not mention a superclass in its definition, the root type `scala.AnyRef` is implicitly assumed (for Java implementations, this type is an alias for `java.lang.Object`). For instance, class `Rational` could equivalently be defined as

```
class Rational(n: int, d: int) extends AnyRef {
  ... // as before
}
```

A class inherits all members from its superclass. It may also redefine (or: *override*) some inherited members. For instance, class `java.lang.Object` defines a method `toString` which returns a representation of the object as a string:

```
class Object {
  ...
  def toString(): String = ...
}
```

The implementation of `toString` in `Object` forms a string consisting of the object's class name and a number. It makes sense to redefine this method for objects that are rational numbers:

```
class Rational(n: int, d: int) extends AnyRef {
  ... // as before
  override def toString() = "" + numer + "/" + denom;
}
```

Note that, unlike in Java, redefining definitions need to be preceded by an **override** modifier.

If class *A* extends class *B*, then objects of type *A* may be used wherever objects of type *B* are expected. We say in this case that type *A* *conforms* to type *B*. For instance, `Rational` conforms to `AnyRef`, so it is legal to assign a `Rational` value to a variable of type `AnyRef`:

```
var x: AnyRef = new Rational(1,2);
```

**Parameterless Methods.** Unlike in Java, methods in Scala do not necessarily take a parameter list. An example is the `square` method below. This method is invoked by simply mentioning its name.

```
class Rational(n: int, d: int) extends AnyRef {
  ... // as before
  def square = new Rational(numer*numer, denom*denom);
}
val r = new Rational(3,4);
System.out.println(r.square);           // prints '9/16'*
```

That is, parameterless methods are accessed just as value fields such as `numer` are. The difference between values and parameterless methods lies in their definition. The right-hand side of a value is evaluated when the object is created, and the value does not change afterwards. A right-hand side of a parameterless method, on the other hand, is evaluated each time the method is called. The uniform access of fields and parameterless methods gives increased flexibility for the implementer of a class. Often, a field in one version of a class becomes a computed value in the next version. Uniform access ensures that clients do not have to be rewritten because of that change.

**Abstract Classes.** Consider the task of writing a class for sets of integer numbers with two operations, `incl` and `contains`. (`s incl x`) should return a new set which contains the element `x` together with all the elements of set `s`. (`s contains x`) should return `true` if the set `s` contains the element `x`, and should return **false** otherwise. The interface of such sets is given by:

```

abstract class IntSet {
  def incl(x: int): IntSet;
  def contains(x: int): boolean;
}

```

IntSet is labeled as an *abstract class*. This has two consequences. First, abstract classes may have *deferred* members which are declared but which do not have an implementation. In our case, both `incl` and `contains` are such members. Second, because an abstract class might have unimplemented members, no objects of that class may be created using `new`. By contrast, an abstract class may be used as a base class of some other class, which implements the deferred members.

**Traits.** Instead of `abstract class` one also often uses the keyword `trait` in Scala. A trait is an abstract class with no state, no constructor arguments, and no side effects during object initialization. Since IntSet's fall in this category, one can alternatively define them as traits:

```

trait IntSet {
  def incl(x: int): IntSet;
  def contains(x: int): boolean;
}

```

A trait corresponds to an interface in Java, except that a trait can also define implemented methods.

**Implementing Abstract Classes.** Let's say, we plan to implement sets as binary trees. There are two possible forms of trees. A tree for the empty set, and a tree consisting of an integer and two subtrees. Here are their implementations.

```

class EmptySet extends IntSet {
  def contains(x: int): boolean = false;
  def incl(x: int): IntSet = new NonEmptySet(x, new EmptySet, new EmptySet);
}

class NonEmptySet(elem:int, left: IntSet, right: IntSet) extends IntSet {
  def contains(x: int): boolean =
    if (x < elem) left contains x
    else if (x > elem) right contains x
    else true;
  def incl(x: int): IntSet =
    if (x < elem) new NonEmptySet(elem, left incl x, right)
    else if (x > elem) new NonEmptySet(elem, left, right incl x)
    else this;
}

```



Both `EmptySet` and `NonEmptySet` extend class `IntSet`. This implies that types `EmptySet` and `NonEmptySet` conform to type `IntSet` – a value of type `EmptySet` or `NonEmptySet` may be used wherever a value of type `IntSet` is required.

**Exercise 6.0.1** Write methods `union` and `intersection` to form the union and intersection between two sets.

**Exercise 6.0.2** Add a method

```
def excl(x: Int)
```

to return the given set without the element `x`. To accomplish this, it is useful to also implement a test method

```
def isEmpty: Boolean
```

for sets.

**Dynamic Binding.** Object-oriented languages (Scala included) use *dynamic dispatch* for method invocations. That is, the code invoked for a method call depends on the run-time type of the object which contains the method. For example, consider the expression `s contains 7` where `s` is a value of declared type `s: IntSet`. Which code for `contains` is executed depends on the type of value of `s` at run-time. If it is an `EmptySet` value, it is the implementation of `contains` in class `EmptySet` that is executed, and analogously for `NonEmptySet` values. This behavior is a direct consequence of our substitution model of evaluation. For instance,

```
(new EmptySet).contains(7)
```

-> (by replacing *contains* by its body in class *EmptySet*)

```
false
```

Or,

```
new NonEmptySet(7, new EmptySet, new EmptySet).contains(1)
```

-> (by replacing *contains* by its body in class *NonEmptySet*)

```
if (1 < 7) new EmptySet contains 1
else if (1 > 7) new EmptySet contains 1
else true
```

-> (by rewriting the conditional)

```
new EmptySet contains 1
```

-> (by replacing *contains* by its body in class *EmptySet*)

**false** .

Dynamic method dispatch is analogous to higher-order function calls. In both cases, the identity of code to be executed is known only at run-time. This similarity is not just superficial. Indeed, Scala represents every function value as an object (see Section 8.6).

**Objects.** In the previous implementation of integer sets, empty sets were expressed with `new EmptySet`; so a new object was created every time an empty set value was required. We could have avoided unnecessary object creations by defining a value `empty` once and then using this value instead of every occurrence of `new EmptySet`. E.g.

```
val EmptySetVal = new EmptySet;
```

One problem with this approach is that a value definition such as the one above is not a legal top-level definition in Scala; it has to be part of another class or object. Also, the definition of class `EmptySet` now seems a bit of an overkill – why define a class of objects, if we are only interested in a single object of this class? A more direct approach is to use an *object definition*. Here is a more streamlined alternative definition of the empty set:

```
object EmptySet extends IntSet {
  def contains(x: Int): Boolean = false;
  def incl(x: Int): IntSet = new NonEmptySet(x, EmptySet, EmptySet);
}
```

The syntax of an object definition follows the syntax of a class definition; it has an optional `extends` clause as well as an optional body. As is the case for classes, the `extends` clause defines inherited members of the object whereas the body defines overriding or new members. However, an object definition defines a single object only; it is not possible to create other objects with the same structure using `new`. Therefore, object definitions also lack constructor parameters, which might be present in class definitions.

Object definitions can appear anywhere in a Scala program; including at top-level. Since there is no fixed execution order of top-level entities in Scala, one might ask exactly when the object defined by an object definition is created and initialized. The answer is that the object is created the first time one of its members is accessed. This strategy is called *lazy evaluation*.

**Standard Classes.** Scala is a pure object-oriented language. This means that every value in Scala can be regarded as an object. In fact, even primitive types such as `int` or `boolean` are not treated specially. They are defined as type aliases of Scala classes in module `Predef`:

```
type boolean = scala.Boolean;
type int = scala.Int;
type long = scala.Long;
...
```

For efficiency, the compiler usually represents values of type `scala.Int` by 32 bit integers, values of type `scala.Boolean` by Java's `booleans`, etc. But it converts these specialized representations to objects when required, for instance when a primitive `int` value is passed to a function with a parameter of type `AnyRef`. Hence, the special representation of primitive values is just an optimization, it does not change the meaning of a program.

Here is a specification of class `Boolean`.

```
package scala;
trait Boolean {
  def && (x: => Boolean): Boolean;
  def || (x: => Boolean): Boolean;
  def !           : Boolean;

  def == (x: Boolean)   : Boolean;
  def != (x: Boolean)   : Boolean;
  def <  (x: Boolean)   : Boolean;
  def >  (x: Boolean)   : Boolean;
  def <= (x: Boolean)   : Boolean;
  def >= (x: Boolean)   : Boolean;
}
```

Booleans can be defined using only classes and objects, without reference to a built-in type of `booleans` or `numbers`. A possible implementation of class `Boolean` is given below. This is not the actual implementation in the standard Scala library. For efficiency reasons the standard implementation uses built-in `booleans`.

```
package scala;
trait Boolean {
  def ifThenElse(thenpart: => Boolean, elsepart: => Boolean);

  def && (x: => Boolean): Boolean = ifThenElse(x, false);
  def || (x: => Boolean): Boolean = ifThenElse(true, x);
  def !           : Boolean = ifThenElse(false, true);

  def == (x: Boolean)   : Boolean = ifThenElse(x, x.);
}
```

```

    def != (x: Boolean) : Boolean = ifThenElse(x.!, x);
    def < (x: Boolean) : Boolean = ifThenElse(false, x);
    def > (x: Boolean) : Boolean = ifThenElse(x.!, false);
    def <= (x: Boolean) : Boolean = ifThenElse(x, true);
    def >= (x: Boolean) : Boolean = ifThenElse(true, x.!).
  }
  case object True extends Boolean {
    def ifThenElse(t: => Boolean, e: => Boolean) = t;
  }
  case object False extends Boolean {
    def ifThenElse(t: => Boolean, e: => Boolean) = e;
  }
}

```

Here is a partial specification of class Int.

```

package scala;
trait Int extends AnyVal {
  def coerce: Long;
  def coerce: Float;
  def coerce: Double;

  def + (that: Double): Double;
  def + (that: Float): Float;
  def + (that: Long): Long;
  def + (that: Int): Int;           // analogous for -, *, /, %

  def << (cnt: Int): Int;           // analogous for >>, >>>

  def & (that: Long): Long;
  def & (that: Int): Int;           // analogous for |, ^

  def == (that: Double): Boolean;
  def == (that: Float): Boolean;
  def == (that: Long): Boolean;    // analogous for !=, <, >, <=, >=
}

```

Class Int can in principle also be implemented using just objects and classes, without reference to a built in type of integers. To see how, we consider a slightly simpler problem, namely how to implement a type Nat of natural (i.e. non-negative) numbers. Here is the definition of a trait Nat:

```

trait Nat {
  def isZero: Boolean;
  def predecessor: Nat;
  def successor: Nat;
  def + (that: Nat): Nat;
  def - (that: Nat): Nat;
}

```

```
}
```

To implement the operations of class `Nat`, we define a sub-object `Zero` and a sub-class `Succ` (for successor). Each number `N` is represented as `N` applications of the `Succ` constructor to `Zero`:

$$\underbrace{\text{new Succ}(\dots \text{new Succ}(\text{Zero}) \dots)}_{N \text{ times}}$$

The implementation of the `Zero` object is straightforward:

```
object Zero extends Nat {
  def isZero: Boolean = true;
  def predecessor: Nat = throw new Error("negative number");
  def successor: Nat = new Succ(Zero);
  def + (that: Nat): Nat = that;
  def - (that: Nat): Nat = if (that.isZero) Zero
                           else throw new Error("negative number")
}
```

The implementation of the `predecessor` and subtraction functions on `Zero` throws an `Error` exception, which aborts the program with the given error message.

Here is the implementation of the successor class:

```
class Succ(x: Nat) extends Nat {
  def isZero: Boolean = false;
  def predecessor: Nat = x;
  def successor: Nat = new Succ(this);
  def + (that: Nat): Nat = x + that.successor;
  def - (that: Nat): Nat = x - that.predecessor;
}
```

Note the implementation of method `successor`. To create the successor of a number, we need to pass the object itself as an argument to the `Succ` constructor. The object itself is referenced by the reserved name **this**.

The implementations of `+` and `-` each contain a recursive call with the constructor argument as receiver. The recursion will terminate once the receiver is the `Zero` object (which is guaranteed to happen eventually because of the way numbers are formed).

**Exercise 6.0.3** Write an implementation `Integer` of integer numbers. The implementation should support all operations of class `Nat` while adding two methods

```
def isPositive: Boolean;
def negate: Integer;
```

The first method should return **true** if the number is positive. The second method should negate the number. Do not use any of Scala's standard numeric classes in your implementation. (Hint: There are two possible ways to implement Integer. One can either make use the existing implementation of Nat, representing an integer as a natural number and a sign. Or one can generalize the given implementation of Nat to Integer, using the three subclasses Zero for 0, Succ for positive numbers and Pred for negative numbers.)

## Language Elements Introduced In This Chapter

### Types:

Type = ... | ident

Types can now be arbitrary identifiers which represent classes.

### Expressions:

Expr = ... | Expr '.' ident | 'new' Expr | 'this'

An expression can now be an object creation, or a selection  $E.m$  of a member  $m$  from an object-valued expression  $E$ , or it can be the reserved name **this**.

### Definitions and Declarations:

```

Def          = FunDef | ValDef | ClassDef | TraitDef | ObjectDef
ClassDef     = ['abstract'] 'class' ident ['(' [Parameters] ')']
              ['extends' Expr] ['{' {TemplateDef} '}']
TraitDef     = 'trait' ident ['extends' Expr] ['{' {TemplateDef} '}']
ObjectDef    = 'object' ident ['extends' Expr] ['{' {ObjectDef} '}']
TemplateDef  = [Modifier] (Def | Dcl)
ObjectDef    = [Modifier] Def
Modifier     = 'private' | 'override'
Dcl          = FunDcl | ValDcl
FunDcl       = 'def' ident {'(' [Parameters] ')'} ':' Type
ValDcl       = 'val' ident ':' Type

```

A definition can now be a class, trait or object definition such as

```

class C(params) extends B { defs }
trait T extends B { defs }
object O extends B { defs }

```

The definitions `defs` in a class, trait or object may be preceded by modifiers **private** or **override**.

Abstract classes and traits may also contain declarations. These introduce *deferred* functions or values with their types, but do not give an implementation. Deferred members have to be implemented in subclasses before objects of an abstract class

or trait can be created.





## Chapter 7

# Case Classes and Pattern Matching

Say, we want to write an interpreter for arithmetic expressions. To keep things simple initially, we restrict ourselves to just numbers and + operations. Such expressions can be represented as a class hierarchy, with an abstract base class `Expr` as the root, and two subclasses `Number` and `Sum`. Then, an expression  $1 + (3 + 7)$  would be represented as

```
new Sum(new Number(1), new Sum(new Number(3), new Number(7)))
```

Now, an evaluator of an expression like this needs to know of what form it is (either `Sum` or `Number`) and also needs to access the components of the expression. The following implementation provides all necessary methods.

```
trait Expr {  
  def isNumber: boolean;  
  def isSum: boolean;  
  def numValue: int;  
  def leftOp: Expr;  
  def rightOp: Expr;  
}  
class Number(n: int) extends Expr {  
  def isNumber: boolean = true;  
  def isSum: boolean = false;  
  def numValue: int = n;  
  def leftOp: Expr = throw new Error("Number.leftOp");  
  def rightOp: Expr = throw new Error("Number.rightOp");  
}  
class Sum(e1: Expr, e2: Expr) extends Expr {  
  def isNumber: boolean = false;  
  def isSum: boolean = true;
```

```

    def numValue: int = throw new Error("Sum.numValue");
    def leftOp: Expr = e1;
    def rightOp: Expr = e2;
  }

```

With these classification and access methods, writing an evaluator function is simple:

```

def eval(e: Expr): int = {
  if (e.isNumber) e.numValue
  else if (e.isSum) eval(e.leftOp) + eval(e.rightOp)
  else throw new Error("unrecognized expression kind")
}

```

However, defining all these methods in classes `Sum` and `Number` is rather tedious. Furthermore, the problem becomes worse when we want to add new forms of expressions. For instance, consider adding a new expression form `Prod` for products. Not only do we have to implement a new class `Prod`, with all previous classification and access methods; we also have to introduce a new abstract method `isProduct` in class `Expr` and implement that method in subclasses `Number`, `Sum`, and `Prod`. Having to modify existing code when a system grows is always problematic, since it introduces versioning and maintenance problems.

The promise of object-oriented programming is that such modifications should be unnecessary, because they can be avoided by re-using existing, unmodified code through inheritance. Indeed, a more object-oriented decomposition of our problem solves the problem. The idea is to make the “high-level” operation `eval` a method of each expression class, instead of implementing it as a function outside the expression class hierarchy, as we have done before. Because `eval` is now a member of all expression nodes, all classification and access methods become superfluous, and the implementation is simplified considerably:

```

trait Expr {
  def eval: int;
}
class Number(n: int) extends Expr {
  def eval: int = n;
}
class Sum(e1: Expr, e2: Expr) extends Expr {
  def eval: int = e1.eval + e2.eval;
}

```

Furthermore, adding a new `Prod` class does not entail any changes to existing code:

```

class Prod(e1: Expr, e2: Expr) extends Expr {
  def eval: int = e1.eval * e2.eval;
}

```

The conclusion we can draw from this example is that object-oriented decomposition is the technique of choice for constructing systems that should be extensible with new types of data. But there is also another possible way we might want to extend the expression example. We might want to add new *operations* on expressions. For instance, we might want to add an operation that pretty-prints an expression tree to standard output.

If we have defined all classification and access methods, such an operation can easily be written as an external function. Here is an implementation:

```
def print(e: Expr): unit =
  if (e.isNumber) System.out.print(e.numValue)
  else if (e.isSum) {
    System.out.print("(");
    print(e.leftOp);
    System.out.print("+");
    print(e.rightOp);
    System.out.print(")");
  } else throw new Error("unrecognized expression kind");
```

However, if we had opted for an object-oriented decomposition of expressions, we would need to add a new print method to each class:

```
trait Expr {
  def eval: int;
  def print: unit;
}
class Number(n: int) extends Expr {
  def eval: int = n;
  def print: unit = System.out.print(n);
}
class Sum(e1: Expr, e2: Expr) extends Expr {
  def eval: int = e1.eval + e2.eval;
  def print: unit = {
    System.out.print("(");
    print(e1);
    System.out.print("+");
    print(e2);
    System.out.print(")");
  }
}
```

Hence, classical object-oriented decomposition requires modification of all existing classes when a system is extended with new operations.

As yet another way we might want to extend the interpreter, consider expression simplification. For instance, we might want to write a function which rewrites expressions of the form  $a * b + a * c$  to  $a * (b + c)$ . This operation requires in-

spection of more than a single node of the expression tree at the same time. Hence, it cannot be implemented by a method in each expression kind, unless that method can also inspect other nodes. So we are forced to have classification and access methods in this case. This seems to bring us back to square one, with all the problems of verbosity and extensibility.

Taking a closer look, one observes that the only purpose of the classification and access functions is to *reverse* the data construction process. They let us determine, first, which sub-class of an abstract base class was used and, second, what were the constructor arguments. Since this situation is quite common, Scala has a way to automate it with case classes.

## 7.1 Case Classes and Case Objects

*Case classes* and *case objects* are defined like a normal classes or objects, except that the definition is prefixed with the modifier **case**. For instance, the definitions

```
trait Expr;
case class Number(n: int) extends Expr;
case class Sum(e1: Expr, e2: Expr) extends Expr;
```

introduce `Number` and `Sum` as case classes. The **case** modifier in front of a class or object definition has the following effects.

1. Case classes implicitly come with a constructor function, with the same name as the class. In our example, the two functions

```
def Number(n: int) = new Number(n);
def Sum(e1: Expr, e2: Expr) = new Sum(e1, e2);
```

would be added. Hence, one can now construct expression trees a bit more concisely, as in

```
Sum(Sum(Number(1), Number(2)), Number(3))
```

2. Case classes and case objects implicitly come with implementations of methods `toString`, `equals` and `hashCode`, which override the methods with the same name in class `AnyRef`. The implementation of these methods takes in each case the structure of a member of a case class into account. The `toString` method represents an expression tree the way it was constructed. So,

```
Sum(Sum(Number(1), Number(2)), Number(3))
```

would be converted to exactly that string, whereas the default implementation in class `AnyRef` would return a string consisting of the outermost con-

structor name `Sum` and a number. The `equals` method treats two case members of a case class as equal if they have been constructed with the same constructor and with arguments which are themselves pairwise equal. This also affects the implementation of `==` and `!=`, which are implemented in terms of `equals` in Scala. So,

```
Sum(Number(1), Number(2)) == Sum(Number(1), Number(2))
```

will yield **true**. If `Sum` or `Number` were not case classes, the same expression would be **false**, since the standard implementation of `equals` in class `AnyRef` always treats objects created by different constructor calls as being different. The `hashCode` method follows the same principle as other two methods. It computes a hash code from the case class constructor name and the hash codes of the constructor arguments, instead of from the object's address, which is what the as the default implementation of `hashCode` does.

3. Case classes implicitly come with nullary accessor methods which retrieve the constructor arguments. In our example, `Number` would obtain an accessor method

```
def n: int;
```

which returns the constructor parameter `n`, whereas `Sum` would obtain two accessor methods

```
def e1: Expr, e2: Expr;
```

Hence, if for a value `s` of type `Sum`, say, one can now write `s.e1`, to access the left operand. However, for a value `e` of type `Expr`, the term `e.e1` would be illegal since `e1` is defined in `Sum`; it is not a member of the base class `Expr`. So, how do we determine the constructor and access constructor arguments for values whose static type is the base class `Expr`? This is solved by the fourth and final particularity of case classes.

4. Case classes allow the constructions of *patterns* which refer to the case class constructor.

## 7.2 Pattern Matching

Pattern matching is a generalization of C or Java's `switch` statement to class hierarchies. Instead of a `switch` statement, there is a standard method **match**, which is defined in Scala's root class `Any`, and therefore is available for all objects. The **match** method takes as argument a number of cases. For instance, here is an implementation of `eval` using pattern matching.

```
def eval(e: Expr): int = e match {
```

```

case Number(x) => x
case Sum(l, r) => eval(l) + eval(r)
}

```

In this example, there are two cases. Each case associates a pattern with an expression. Patterns are matched against the selector values  $e$ . The first pattern in our example, `Number(n)`, matches all values of the form `Number(v)`, where  $v$  is an arbitrary value. In that case, the *pattern variable*  $n$  is bound to the value  $v$ . Similarly, the pattern `Sum(l, r)` matches all selector values of form `Sum(v1, v2)` and binds the pattern variables  $l$  and  $r$  to  $v_1$  and  $v_2$ , respectively.

In general, patterns are built from

- Case class constructors, e.g. `Number`, `Sum`, whose arguments are again patterns,
- pattern variables, e.g.  $n$ ,  $e_1$ ,  $e_2$ ,
- the “wildcard” pattern `_`,
- literals, e.g. `1`, `true`, `"abc"`,
- constant identifiers, e.g. `MAXINT`, `EmptySet`.

Pattern variables always start with a lower-case letter, so that they can be distinguished from constant identifiers, which start with an upper case letter. Each variable name may occur only once in a pattern. For instance, `Sum(x, x)` would be illegal as a pattern, since the pattern variable  $x$  occurs twice in it.

**Meaning of Pattern Matching.** A pattern matching expression

```

e match { case p1 => e1 ... case pn => en }

```

matches the patterns  $p_1, \dots, p_n$  in the order they are written against the selector value  $e$ .

- A constructor pattern  $C(p_1, \dots, p_n)$  matches all values that are of type  $C$  (or a subtype thereof) and that have been constructed with  $C$ -arguments matching patterns  $p_1, \dots, p_n$ .
- A variable pattern  $x$  matches any value and binds the variable name to that value.
- The wildcard pattern `'_'` matches any value but does not bind a name to that value.
- A constant pattern  $C$  matches a value which is equal (in terms of `==`) to  $C$ .

The pattern matching expression rewrites to the right-hand-side of the first case whose pattern matches the selector value. References to pattern variables are replaced by corresponding constructor arguments. If none of the patterns matches, the pattern matching expression is aborted with a `MatchError` exception.

**Example 7.2.1** Our substitution model of program evaluation extends quite naturally to pattern matching. For instance, here is how `eval` applied to a simple expression is re-written:

```

eval(Sum(Number(1), Number(2)))

->          (by rewriting the application)

Sum(Number(1), Number(2)) match {
  case Number(n) => n
  case Sum(e1, e2) => eval(e1) + eval(e2)
}

->          (by rewriting the pattern match)

eval(Number(1)) + eval(Number(2))

->          (by rewriting the first application)

Number(1) match {
  case Number(n) => n
  case Sum(e1, e2) => eval(e1) + eval(e2)
} + eval(Number(2))

->          (by rewriting the pattern match)

1 + eval(Number(2))

->* 1 + 2 -> 3

```

**Pattern Matching and Methods.** In the previous example, we have used pattern matching in a function which was defined outside the class hierarchy over which it matches. Of course, it is also possible to define a pattern matching function in that class hierarchy itself. For instance, we could have defined `eval` as a method of the base class `Expr`, and still have used pattern matching in its implementation:

```

trait Expr {
  def eval: int = this match {
    case Number(n) => n
    case Sum(e1, e2) => e1.eval + e2.eval
  }
}

```

**Exercise 7.2.2** Consider the following definitions representing trees of integers. These definitions can be seen as an alternative representation of `IntSet`:

```

trait IntTree;
case object EmptyTree extends IntTree;
case class Node(elem: int, left: IntTree, right: IntTree) extends IntTree;

```

Complete the following implementations of function `contains` and `insert` for `IntTree`'s.

```

def contains(t: IntTree, v: int): boolean = t match { ...
    ...
}
def insert(t: IntTree, v: int): IntTree = t match { ...
    ...
}

```

**Pattern Matching Anonymous Functions.** So far, case-expressions always appeared in conjunction with a `match` operation. But it is also possible to use case-expressions by themselves. A block of case-expressions such as

```
{ case  $P_1 \Rightarrow E_1$  ... case  $P_n \Rightarrow E_n$  }
```

is seen by itself as a function which matches its arguments against the patterns  $P_1, \dots, P_n$ , and produces the result of one of  $E_1, \dots, E_n$ . (If no pattern matches, the function would throw a `MatchError` exception instead). In other words, the expression above is seen as a shorthand for the anonymous function

```
(x => x match { case  $P_1 \Rightarrow E_1$  ... case  $P_n \Rightarrow E_n$  })
```

where `x` is a fresh variable which is not used otherwise in the expression.



## Chapter 8

# Generic Types and Methods

Classes in Scala can have type parameters. We demonstrate the use of type parameters with functional stacks as an example. Say, we want to write a data type of stacks of integers, with methods `push`, `top`, `pop`, and `isEmpty`. This is achieved by the following class hierarchy:

```
trait IntStack {
  def push(x: int): IntStack = new IntNonEmptyStack(x, this);
  def isEmpty: boolean;
  def top: int;
  def pop: IntStack;
}
class IntEmptyStack extends IntStack {
  def isEmpty = true;
  def top = throw new Error("EmptyStack.top");
  def pop = throw new Error("EmptyStack.pop");
}
class IntNonEmptyStack(elem: int, rest: IntStack) {
  def isEmpty = false;
  def top = elem;
  def pop = rest;
}
```

Of course, it would also make sense to define an abstraction for a stack of Strings. To do that, one could take the existing abstraction for `IntStack`, rename it to `StringStack` and at the same time rename all occurrences of type `int` to `String`.

A better way, which does not entail code duplication, is to parameterize the stack definitions with the element type. Parameterization lets us generalize from a specific instance of a problem to a more general one. So far, we have used parameterization only for values, but it is available also for types. To arrive at a *generic* version of `Stack`, we equip it with a type parameter.

```

trait Stack[a] {
  def push(x: a): Stack[a] = new NonEmptyStack[a](x, this);
  def isEmpty: boolean
  def top: a;
  def pop: Stack[a];
}
class EmptyStack[a] extends Stack[a] {
  def isEmpty = true;
  def top = throw new Error("EmptyStack.top");
  def pop = throw new Error("EmptyStack.pop");
}
class NonEmptyStack[a](elem: a, rest: Stack[a]) extends Stack[a] {
  def isEmpty = false;
  def top = elem;
  def pop = rest;
}

```

In the definitions above, ‘a’ is a *type parameter* of class Stack and its subclasses. Type parameters are arbitrary names; they are enclosed in brackets instead of parentheses, so that they can be easily distinguished from value parameters. Here is an example how the generic classes are used:

```

val x = new EmptyStack[int];
val y = x.push(1).push(2);
System.out.println(y.pop.top);

```

The first line creates a new empty stack of int’s. Note the actual type argument [int] which replaces the formal type parameter a.

It is also possible to parameterize methods with types. As an example, here is a generic method which determines whether one stack is a prefix of another.

```

def isPrefix[a](p: Stack[a], s: Stack[a]): boolean = {
  p.isEmpty ||
  p.top == s.top && isPrefix[a](p.pop, s.pop);
}

```

parameters are called *polymorphic*. Generic methods are also called *polymorphic*. The term comes from the Greek, where it means “having many forms”. To apply a polymorphic method such as isPrefix, we pass type parameters as well as value parameters to it. For instance,

```

val s1 = new EmptyStack[String].push("abc");
val s2 = new EmptyStack[String].push("abx").push(s.pop)
System.out.println(isPrefix[String](s1, s2));

```

**Local Type Inference.** Passing type parameters such as `[int]` or `[String]` all the time can become tedious in applications where generic functions are used a lot. Quite often, the information in a type parameter is redundant, because the correct parameter type can also be determined by inspecting the function's value parameters or expected result type. Taking the expression `isPrefix[String](s1, s2)` as an example, we know that its value parameters are both of type `String`, so we can deduce that the type parameter must be `String`. Scala has a fairly powerful type inferencer which allows one to omit type parameters to polymorphic functions and constructors in situations like these. In the example above, one could have written `isPrefix(s1, s2)` and the missing type argument `[String]` would have been inserted by the type inferencer.

## 8.1 Type Parameter Bounds

Now that we know how to make classes generic it is natural to generalize some of the earlier classes we have written. For instance class `IntSet` could be generalized to sets with arbitrary element types. Let's try. The trait for generic sets is easily written.

```
trait Set[a] {  
  def incl(x: a): Set[a];  
  def contains(x: a): boolean;  
}
```

However, if we still want to implement sets as binary search trees, we encounter a problem. The `contains` and `incl` methods both compare elements using methods `<` and `>`. For `IntSet` this was OK, since type `int` has these two methods. But for an arbitrary type parameter `a`, we cannot guarantee this. Therefore, the previous implementation of, say, `contains` would generate a compiler error.

```
def contains(x: int): boolean =  
  if (x < elem) left contains x  
    ^ < not a member of type a.
```

One way to solve the problem is to restrict the legal types that can be substituted for type `a` to only those types that contain methods `<` and `>` of the correct types. There is a trait `Ord[a]` in the standard class library Scala which represents values which are comparable (via `<` and `>`) to values of type `a`. We can enforce the comparability of a type by demanding that the type is a subtype of `Ord`. This is done by giving an upper bound to the type parameter of `Set`:

```
trait Set[a <: Ord[a]] {  
  def incl(x: a): Set[a];  
  def contains(x: a): boolean;  
}
```

The parameter declaration `a <: Ord[a]` introduces `a` as a type parameter which must be a subtype of `Ord[a]`, i.e. its values must be comparable to values of the same type.

With this restriction, we can now implement the rest of the generic set abstraction as we did in the case of `IntSets` before.

```
class EmptySet[a <: Ord[a]] extends Set[a] {
  def contains(x: a): boolean = false;
  def incl(x: a): Set[a] = new NonEmptySet(x, new EmptySet[a], new EmptySet[a]);
}

class NonEmptySet[a <: Ord[a]]
  (elem:a, left: Set[a], right: Set[a]) extends Set[a] {
  def contains(x: a): boolean =
    if (x < elem) left contains x
    else if (x > elem) right contains x
    else true;
  def incl(x: a): Set[a] =
    if (x < elem) new NonEmptySet(elem, left incl x, right)
    else if (x > elem) new NonEmptySet(elem, left, right incl x)
    else this;
}
```

Note that we have left out the type argument in the object creations `new NonEmptySet(...)`. In the same way as for polymorphic methods, missing type arguments in constructor calls are inferred from value arguments and/or the expected result type.

Here is an example that uses the generic set abstraction.

```
val s = new EmptySet[double].incl(1.0).incl(2.0);
s.contains(1.5)
```

This is OK, as type `double` implements trait `Ord[double]`. However, the following example is in error.

```
val s = new EmptySet[java.io.File]
      ^ java.io.File does not conform to type
      parameter bound Ord[java.io.File].
```

To conclude the discussion of type parameter bounds, here is the definition of trait `Ord` in `scala`.

```
package scala;
trait Ord[t <: Ord[t]]: t {
  def < (that: t): Boolean;
  def <=(that: t): Boolean = this < that || this == that;
```

```

    def > (that: t): Boolean = that < this;
    def >=(that: t): Boolean = that <= this;
  }

```

## 8.2 Variance Annotations

The combination of type parameters and subtyping poses some interesting questions. For instance, should `Stack[String]` be a subtype of `Stack[AnyRef]`? Intuitively, this seems OK, since a stack of Strings is a special case of a stack of AnyRefs. More generally, if `T` is a subtype of type `S` then `Stack[T]` should be a subtype of `Stack[S]`. This property is called *co-variant* subtyping.

In Scala, generic types have by default non-variant subtyping. That is, with `Stack` defined as above, stacks with different element types would never be in a subtype relation. However, we can enforce co-variant subtyping of stacks by changing the first line of the definition of class `Stack` as follows.

```

class Stack[+a] {

```

Prefixing a formal type parameter with a `+` indicates that subtyping is covariant in that parameter. Besides `+`, there is also a prefix `-` which indicates contra-variant subtyping. If `Stack` was defined `class Stack[-a] ...`, then `T` a subtype of type `S` would imply that `Stack[S]` is a subtype of `Stack[T]` (which in the case of stacks would be rather surprising!).

In a purely functional world, all types could be co-variant. However, the situation changes once we introduce mutable data. Consider the case of arrays in Java or .NET. Such arrays are represented in Scala by a generic class `Array`. Here is a partial definition of this class.

```

class Array[a] {
  def apply(index: int): a;
  def update(index: int, elem: a): unit;
}

```

The class above defines the way Scala arrays are seen from Scala user programs. The Scala compiler will map this abstraction to the underlying arrays of the host system in most cases where this possible.

In Java, arrays are indeed covariant; that is, for reference types `T` and `S`, if `T` is a subtype of `S`, then also `Array[T]` is a subtype of `Array[S]`. This might seem natural but leads to safety problems that require special runtime checks. Here is an example:

```

val x = new Array[String](1);
val y: Array[Any] = x;
y(0) = new Rational(1, 2); // this is syntactic sugar for

```

```
// y.update(0, new Rational(1, 2));
```

In the first line, a new array of strings is created. In the second line, this array is bound to a variable `y`, of type `Array[Any]`. Assuming arrays are covariant, this is OK, since `Array[String]` is a subtype of `Array[Any]`. Finally, in the last line a rational number is stored in the array. This is also OK, since type `Rational` is a subtype of the element type `Any` of the array `y`. We thus end up storing a rational number in an array of strings, which clearly violates type soundness.

Java solves this problem by introducing a run-time check in the third line which tests whether the stored element is compatible with the element type with which the array was created. We have seen in the example that this element type is not necessarily the static element type of the array being updated. If the test fails, an `ArrayStoreException` is raised.

Scala solves this problem instead statically, by disallowing the second line at compile-time, because arrays in Scala have non-variant subtyping. This raises the question how a Scala compiler verifies that variance annotations are correct. If we had simply declared arrays co-variant, how would the potential problem have been detected?

Scala uses a conservative approximation to verify soundness of variance annotations. A covariant type parameter of a class may only appear in co-variant positions inside the class. Among the co-variant positions are the types of values in the class, the result types of methods in the class, and type arguments to other covariant types. Not co-variant are types of formal method parameters. Hence, the following class definition would have been rejected

```
class Array[+a] {
  def apply(index: int): a;
  def update(index: int, elem: a): unit;
                                ^ covariant type parameter a
                                appears in contravariant position.
}
```

So far, so good. Intuitively, the compiler was correct in rejecting the update method in a co-variant class because update potentially changes state, and therefore undermines the soundness of co-variant subtyping.

However, there are also methods which do not mutate state, but where a type parameter still appears contra-variantly. An example is push in type `Stack`. Again the Scala compiler will reject the definition of this method for co-variant stacks.

```
class Stack[+a] {
  def push(x: a): Stack[a] =
    ^ covariant type parameter a
    appears in contravariant position.
}
```

This is a pity, because, unlike arrays, stacks are purely functional data structures and therefore should enable co-variant subtyping. However, there is a way to solve the problem by using a polymorphic method with a lower type parameter bound.

## 8.3 Lower Bounds

We have seen upper bounds for type parameters. In a type parameter declaration such as `t <: U`, the type parameter `t` is restricted to range only over subtypes of type `U`. Symmetrical to this are lower bounds in Scala. In a type parameter declaration `t >: L`, the type parameter `t` is restricted to range only over *supertypes* of type `L`. (One can also combine lower and upper bounds, as in `t >: L <: U`.)

Using lower bounds, we can generalize the push method in `Stack` as follows.

```
class Stack[+a] {  
  def push[b >: a](x: b): Stack[b] = new NonEmptyStack(x, this);
```

Technically, this solves our variance problem since now the type parameter `a` appears no longer as a parameter type of method `push`. Instead, it appears as lower bound for another type parameter of a method, which is classified as a co-variant position. Hence, the Scala compiler accepts the new definition of `push`.

In fact, we have not only solved the technical variance problem but also have generalized the definition of `push`. Before, we were required to push only elements with types that conform to the declared element type of the stack. Now, we can push also elements of a supertype of this type, but the type of the returned stack will change accordingly. For instance, we can now push an `AnyRef` onto a stack of `Strings`, but the resulting stack will be a stack of `AnyRefs` instead of a stack of `Strings`!

In summary, one should not hesitate to add variance annotations to your data structures, as this yields rich natural subtyping relationships. The compiler will detect potential soundness problems. Even if the compiler's approximation is too conservative, as in the case of method `push` of class `Stack`, this will often suggest a useful generalization of the contested method.

## 8.4 Least Types

Scala does not allow one to parameterize objects with types. That's why we originally defined a generic class `EmptyStack[a]`, even though a single value denoting empty stacks of arbitrary type would do. For co-variant stacks, however, one can use the following idiom:

```
object EmptyStack extends Stack[All] { ... }
```

The identifier `All` refers to the bottom type `scala.All`, which is a subtype of all other types. Hence, for co-variant stacks, `Stack[All]` is a subtype of `Stack[T]`, for any other type `T`. This makes it possible to use a single empty stack object in user code. For instance:

```
val s = EmptyStack.push("abc").push(new AnyRef());
```

Let's analyze the type assignment for this expression in detail. The `EmptyStack` object is of type `Stack[All]`, which has a method

```
push[b >: All](elem: b): Stack[b] .
```

Local type inference will determine that the type parameter `b` should be instantiated to `String` in the application `EmptyStack.push("abc")`. The result type of that application is hence `Stack[String]`, which in turn has a method

```
push[b >: String](elem: b): Stack[b] .
```

The final part of the value definition above is the application of this method to `new AnyRef()`. Local type inference will determine that the type parameter `b` should this time be instantiated to `AnyRef`, with result type `Stack[AnyRef]`. Hence, the type assigned to value `s` is `Stack[AnyRef]`.

Besides `scala.All`, which is a subtype of every other type, there is also the type `scala.AllRef`, which is a subtype of `scala.AnyRef`, and every type derived from it. The `null` literal in Scala is of that type. This makes `null` compatible with every reference type, but not with a value type such as `int`.

We conclude this section with the complete improved definition of stacks. Stacks have now co-variant subtyping, the `push` method has been generalized, and the empty stack is represented by a single object.

```
trait Stack[+a] {
  def push[b >: a](x: b): Stack[b] = new NonEmptyStack(x, this);
  def isEmpty: boolean;
  def top: a;
  def pop: Stack[a];
}
object EmptyStack extends Stack[All] {
  def isEmpty = true;
  def top = throw new Error("EmptyStack.top");
  def pop = throw new Error("EmptyStack.pop");
}
class NonEmptyStack[+a](elem: a, rest: Stack[a]) extends Stack[a] {
  def isEmpty = false;
  def top = elem;
  def pop = rest;
}
```



Many classes in the Scala library are generic. We now present two commonly used families of generic classes, tuples and functions. The discussion of another common class, lists, is deferred to the next chapter.

## 8.5 Tuples

Sometimes, a function needs to return more than one result. For instance, take the function `divmod` which returns the integer quotient and rest of two given integer arguments. Of course, one can define a class to hold the two results of `divmod`, as in:

```
case class TwoInts(first: int, second: int);
def divmod(x: int, y: int): TwoInts = new TwoInts(x / y, x % y);
```

However, having to define a new class for every possible pair of result types is very tedious. In Scala one can use instead the generic classes `Tuple $n$` , for each  $n$  between 2 and 9. As an example, here is the definition of `Tuple2`.

```
package scala;
case class Tuple2[a, b](_1: a, _2: b);
```

With `Tuple2`, the `divmod` method can be written as follows.

```
def divmod(x: int, y: int) = new Tuple2[int, int](x / y, x % y);
```

As usual, type parameters to constructors can be omitted if they are deducible from value arguments. Also, Scala defines an alias `Pair` for `Tuple2` (as well as `Triple` for `Tuple3`). With these conventions, `divmod` can equivalently be written as follows.

```
def divmod(x: int, y: int) = Pair(x / y, x % y);
```

How are elements of tuples accessed? Since tuples are case classes, there are two possibilities. One can either access a tuple's fields using the names of the constructor parameters `_i`, as in the following example:

```
val xy = divmod(x, y);
System.out.println("quotient: " + x._1 + ", rest: " + x._2);
```

Or one uses pattern matching on tuples, as in the following example:

```
divmod(x, y) match {
  case Pair(n, d) =>
    System.out.println("quotient: " + n + ", rest: " + d);
}
```

Note that type parameters are never used in patterns; it would have been illegal to write `case Pair[int, int](n, d)`.

## 8.6 Functions

Scala is a functional language in that functions are first-class values. Scala is also an object-oriented language in that every value is an object. It follows that functions are objects in Scala. For instance, a function from type `String` to type `int` is represented as an instance of the trait `Function1[String, int]`. The `Function1` trait is defined as follows.

```
package scala;
trait Function1[-a, +b] {
  def apply(x: a): b;
}
```

Besides `Function1`, there are also definitions of `Function0` and `Function2` up to `Function9` in the standard Scala library. That is, there is one definition for each possible number of function parameters between 0 and 9. Scala's function type syntax  $T_1, \dots, T_n \Rightarrow S$  is simply an abbreviation for the parameterized type `Functionn[T1, ..., Tn, S]`.

Scala uses the same syntax  $f(x)$  for function application, no matter whether  $f$  is a method or a function object. This is made possible by the following convention: A function application  $f(x)$  where  $f$  is an object (as opposed to a method) is taken to be a shorthand for `f.apply(x)`. Hence, the `apply` method of a function type is inserted automatically where this is necessary.

That's also why we defined array subscripting in Section 8.2 by an `apply` method. For any array `a`, the subscript operation `a(i)` is taken to be a shorthand for `a.apply(i)`.

Functions are an example where a contra-variant type parameter declaration is useful. For example, consider the following code:

```
val f: (AnyRef => int) = x => x.hashCode();
val g: (String => int) = f;
g("abc")
```

It's sound to bind the value `g` of type `String => int` to `f`, which is of type `AnyRef => int`. Indeed, all one can do with function of type `String => int` is pass it a string in order to obtain an integer. Clearly, the same works for function `f`: If we pass it a string (or any other object), we obtain an integer. This demonstrates that function subtyping is contra-variant in its argument type whereas it is covariant in its result type. In short,  $S \Rightarrow T$  is a subtype of  $S' \Rightarrow T'$ , provided  $S'$  is a subtype of  $S$  and  $T$  is a subtype of  $T'$ .

**Example 8.6.1** Consider the Scala code

```
val plus1: (int => int) = (x: int) => x + 1;
plus1(2)
```

This is expanded into the following object code.

```
val plus1: Function1[int, int] = new Function1[int, int] {  
  def apply(x: int): int = x + 1;  
}  
plus1.apply(2)
```

Here, the object creation `new Function1[int, int]{ ... }` represents an instance of an *anonymous class*. It combines the creation of a new `Function1` object with an implementation of the `apply` method (which is abstract in `Function1`). Equivalently, but more verbosely, one could have used a local class:

```
val plus1: Function1[int, int] = {  
  class Local extends Function1[int, int] {  
    def apply(x: int): int = x + 1;  
  }  
  new Local: Function1[int, int]  
}  
plus1.apply(2)
```



## Chapter 9

# Lists

Lists are an important data structure in many Scala programs. A list containing the elements  $x_1, \dots, x_n$  is written `List( $x_1$ , ...,  $x_n$ )`. Examples are:

```
val fruit = List("apples", "oranges", "pears");
val nums  = List(1, 2, 3, 4);
val diag3 = List(List(1, 0, 0), List(0, 1, 0), List(0, 0, 1));
val empty = List();
```

Lists are similar to arrays in languages such as C or Java, but there are also three important differences. First, lists are immutable. That is, elements of a list cannot be changed by assignment. Second, lists have a recursive structure, whereas arrays are flat. Third, lists support a much richer set of operations than arrays usually do.

### 9.1 Using Lists

**The List type.** Like arrays, lists are *homogeneous*. That is, the elements of a list all have the same type. The type of a list with elements of type `T` is written `List[T]` (compare to `T[]` in Java).

```
val fruit: List[String] = List("apples", "oranges", "pears");
val nums : List[int]    = List(1, 2, 3, 4);
val diag3: List[List[int]] = List(List(1, 0, 0), List(0, 1, 0), List(0, 0, 1));
val empty: List[int]      = List();
```

**List constructors.** All lists are built from two more fundamental constructors, `Nil` and `::` (pronounced “cons”). `Nil` represents an empty list. The infix operator `::` expresses list extension. That is, `x :: xs` represents a list whose first element is `x`, which is followed by (the elements of) list `xs`. Hence, the list values above could also

have been defined as follows (in fact their previous definition is simply syntactic sugar for the definitions below).

```
val fruit = "apples" :: ("oranges" :: ("pears" :: Nil));
val nums  = 1 :: (2 :: (3 :: (4 :: Nil)));
val diag3 = (1 :: (0 :: (0 :: Nil))) ::
            (0 :: (1 :: (0 :: Nil))) ::
            (0 :: (0 :: (1 :: Nil))) :: Nil;
val empty = Nil;
```

The ‘::’ operation associates to the right:  $A :: B :: C$  is interpreted as  $A :: (B :: C)$ . Therefore, we can drop the parentheses in the definitions above. For instance, we can write shorter

```
val nums = 1 :: 2 :: 3 :: 4 :: Nil;
```

**Basic operations on lists.** All operations on lists can be expressed in terms of the following three:

```
head    returns the first element of a list,
tail    returns the list consisting of all elements except the
         first element,
isEmpty returns true iff the list is empty
```

These operations are defined as methods of list objects. So we invoke them by selecting from the list that’s operated on. Examples:

```
empty.isEmpty = true
fruit.isEmpty = false
fruit.head    = "apples"
fruit.tail.head = "oranges"
diag3.head    = List(1, 0, 0)
```

The head and tail methods are defined only for non-empty lists. When selected from an empty list, they throw an exception.

As an example of how lists can be processed, consider sorting the elements of a list of numbers into ascending order. One simple way to do so is *insertion sort*, which works as follows: To sort a non-empty list with first element  $x$  and rest  $xs$ , sort the remainder  $xs$  and insert the element  $x$  at the right position in the result. Sorting an empty list will yield the empty list. Expressed as Scala code:

```
def isort(xs: List[int]): List[int] =
  if (xs.isEmpty) Nil
  else insert(xs.head, isort(xs.tail));
```

**Exercise 9.1.1** Provide an implementation of the missing function insert.

**List patterns.** In fact, `::` is defined as a case class in Scala's standard library. Hence, it is possible to decompose lists by pattern matching, using patterns composed from the `Nil` and `::` constructors. For instance, `isort` can be written alternatively as follows.

```
def isort(xs: List[int]): List[int] = xs match {
  case List() => List()
  case x :: xs1 => insert(x, isort(xs1))
}
```

where

```
def insert(x: int, xs: List[int]): List[int] = xs match {
  case List() => List(x)
  case y :: ys => if (x <= y) x :: xs else y :: insert(x, ys)
}
```

## 9.2 Definition of class List I: First Order Methods

Lists are not built in in Scala; they are defined by an abstract class `List`, which comes with two subclasses for `::` and `Nil`. In the following we present a tour through class `List`.

```
package scala;
abstract class List[+a] {
```

`List` is an abstract class, so one cannot define elements by calling the empty `List` constructor (e.g. by `new List`). The class has a type parameter `a`. It is co-variant in this parameter, which means that `List[S] <: List[T]` for all types `S` and `T` such that `S <: T`. The class is situated in the package `scala`. This is a package containing the most important standard classes of Scala. `List` defines a number of methods, which are explained in the following.

**Decomposing lists.** First, there are the three basic methods `isEmpty`, `head`, `tail`. Their implementation in terms of pattern matching is straightforward:

```
def isEmpty: boolean = match {
  case Nil => true
  case x :: xs => false
}
def head: a = match {
  case Nil => throw new Error("Nil.head")
  case x :: xs => x
}
def tail: List[a] = match {
```

```

    case Nil => throw new Error("Nil.tail")
    case x :: xs => x
  }

```

The next function computes the length of a list.

```

def length = match {
  case Nil => 0
  case x :: xs => 1 + xs.length
}

```

**Exercise 9.2.1** Design a tail-recursive version of length.

The next two functions are the complements of head and tail.

```

def last: a;
def init: List[a];

```

`xs.last` returns the last element of list `xs`, whereas `xs.init` returns all elements of `xs` except the last. Both functions have to traverse the entire list, and are thus less efficient than their head and tail analogues. Here is the implementation of `last`.

```

def last: a = match {
  case Nil      => throw new Error("Nil.last")
  case x :: Nil => x
  case x :: xs  => xs.last
}

```

The implementation of `init` is analogous.

The next three functions return a prefix of the list, or a suffix, or both.

```

def take(n: int): List[a] =
  if (n == 0 || isEmpty) Nil else head :: tail.take(n-1);

def drop(n: int): List[a] =
  if (n == 0 || isEmpty) this else tail.drop(n-1);

def split(n: int): Pair[List[a], List[a]] = Pair(take(n), drop(n));

```

`(xs take n)` returns the first `n` elements of list `xs`, or the whole list, if its length is smaller than `n`. `(xs drop n)` returns all elements of `xs` except the `n` first ones. Finally, `(xs split n)` returns a pair consisting of the lists resulting from `xs take n` and `xs drop n`.

The next function returns an element at a given index in a list. It is thus analogous to array subscripting. Indices start at 0.



```
def apply(n: Int): A = drop(n).head;
```

The `apply` method has a special meaning in Scala. An object with an `apply` method can be applied to arguments as if it was a function. For instance, to pick the 3<sup>rd</sup> element of a list `xs`, one can write either `xs.apply(3)` or `xs(3)` – the latter expression expands into the first.

With `take` and `drop`, we can extract sublists consisting of consecutive elements of the original list. To extract the sublist  $xs_m, \dots, xs_{n-1}$  of a list `xs`, use:

```
xs.drop(m).take(n - m)
```

**Zippping lists.** The next function combines two lists into a list of pairs. Given two lists

```
xs = List(x1, ..., xn)    , and
ys = List(y1, ..., yn)    ,
```

`xs zip ys` constructs the list `List(Pair(x1, y1), ..., Pair(xn, yn))`. If the two lists have different lengths, the longer one of the two is truncated. Here is the definition of `zip` – note that it is a polymorphic method.

```
def zip[B](that: List[B]): List[Pair[A,B]] =
  if (this.isEmpty || that.isEmpty) Nil
  else Pair(this.head, that.head) :: (this.tail zip that.tail);
```

**Consing lists..** Like any infix operator, `::` is also implemented as a method of an object. In this case, the object is the list that is extended. This is possible, because operators ending with a `:` character are treated specially in Scala. All such operators are treated as methods of their right operand. E.g.,

$$x :: y = y :: (x) \quad \text{whereas} \quad x + y = x.+(y)$$

Note, however, that operands of a binary operation are in each case evaluated from left to right. So, if `D` and `E` are expressions with possible side-effects, `D :: E` is translated to `{val x = D; E :: (x)}` in order to maintain the left-to-right order of operand evaluation.

Another difference between operators ending in a `:` and other operators concerns their associativity. Operators ending in `:` are right-associative, whereas other operators are left-associative. E.g.,

$$x :: y :: z = x :: (y :: z) \quad \text{whereas} \quad x + y + z = (x + y) + z$$

The definition of `::` as a method in class `List` is as follows:

```
def ::[b >: a](x: b): List[b] = new scala.::(x, this);
```

Note that `::` is defined for all elements `x` of type `B` and lists of type `List[A]` such that the type `B` of `x` is a supertype of the list's element type `A`. The result is in this case a list of `B`'s. This is expressed by the type parameter `b` with lower bound `a` in the signature of `::`.

**Concatenating lists.** An operation similar to `::` is list concatenation, written '`:::`'. The result of `(xs ::: ys)` is a list consisting of all elements of `xs`, followed by all elements of `ys`. Because it ends in a colon, `:::` is right-associative and is considered as a method of its right-hand operand. Therefore,

```
xs ::: ys ::: zs = xs ::: (ys ::: zs)
                  = zs.:::(ys).:::(xs)
```

Here is the implementation of the `:::` method:

```
def :::[b >: a](prefix: List[b]): List[b] = prefix match {
  case Nil => this
  case p :: ps => this.:::(ps).:::(p)
}
```

**Reversing lists.** Another useful operation is list reversal. There is a method `reverse` in `List` to that effect. Let's try to give its implementation:

```
def reverse[a](xs: List[a]): List[a] = xs match {
  case Nil => Nil
  case x :: xs => reverse(xs) ::: List(x)
}
```

This implementation has the advantage of being simple, but it is not very efficient. Indeed, one concatenation is executed for every element in the list. List concatenation takes time proportional to the length of its first operand. Therefore, the complexity of `reverse(xs)` is

$$n + (n - 1) + \dots + 1 = n(n + 1)/2$$

where  $n$  is the length of `xs`. Can `reverse` be implemented more efficiently? We will see later that there exists another implementation which has only linear complexity.

### 9.3 Example: Merge sort

The insertion sort presented earlier in this chapter is simple to formulate, but also not very efficient. Its average complexity is proportional to the square of the length

of the input list. We now design a program to sort the elements of a list which is more efficient than insertion sort. A good algorithm for this is *merge sort*, which works as follows.

First, if the list has zero or one elements, it is already sorted, so one returns the list unchanged. Longer lists are split into two sub-lists, each containing about half the elements of the original list. Each sub-list is sorted by a recursive call to the sort function, and the resulting two sorted lists are then combined in a merge operation.

For a general implementation of merge sort, we still have to specify the type of list elements to be sorted, as well as the function to be used for the comparison of elements. We obtain a function of maximal generality by passing these two items as parameters. This leads to the following implementation.

```
def msort[a](less: (a, a) => boolean)(xs: List[a]): List[a] = {
  def merge(xs1: List[a], xs2: List[a]): List[a] =
    if (xs1.isEmpty) xs2
    else if (xs2.isEmpty) xs1
    else if (less(xs1.head, xs2.head)) xs1.head :: merge(xs1.tail, xs2)
    else xs2.head :: merge(xs1, xs2.tail);
  val n = xs.length/2;
  if (n == 0) xs
  else merge(msort(less)(xs take n), msort(less)(xs drop n))
}
```

The complexity of `msort` is  $O(N \log(N))$ , where  $N$  is the length of the input list. To see why, note that splitting a list in two and merging two sorted lists each take time proportional to the length of the argument list(s). Each recursive call of `msort` halves the number of elements in its input, so there are  $O(\log(N))$  consecutive recursive calls until the base case of lists of length 1 is reached. However, for longer lists each call spawns off two further calls. Adding everything up we obtain that at each of the  $O(\log(N))$  call levels, every element of the original lists takes part in one split operation and in one merge operation. Hence, every call level has a total cost proportional to  $O(N)$ . Since there are  $O(\log(N))$  call levels, we obtain an overall cost of  $O(N \log(N))$ . That cost does not depend on the initial distribution of elements in the list, so the worst case cost is the same as the average case cost. This makes merge sort an attractive algorithm for sorting lists.

Here is an example how `msort` is used.

```
msort(x: int, y: int => x < y)(List(5, 7, 1, 3))
```

The definition of `msort` is curried, to make it easy to specialize it with particular comparison functions. For instance,

```
val intSort = msort(x: int, y: int => x < y)
val reverseSort = msort(x: int, y: int => x > y)
```

## 9.4 Definition of class List II: Higher-Order Methods

The examples encountered so far show that functions over lists often have similar structures. We can identify several patterns of computation over lists, like:

- transforming every element of a list in some way.
- extracting from a list all elements satisfying a criterion.
- combine the elements of a list using some operator.

Functional programming languages enable programmers to write general functions which implement patterns like this by means of higher order functions. We now discuss a set of commonly used higher-order functions, which are implemented as methods in class `List`.

**Mapping over lists.** A common operation is to transform each element of a list and then return the lists of results. For instance, to scale each element of a list by a given factor.

```
def scaleList(xs: List[Double], factor: Double): List[Double] = xs match {
  case Nil => xs
  case x :: xs1 => x * factor :: scaleList(xs1, factor)
}
```

This pattern can be generalized to the `map` method of class `List`:

```
abstract class List[A] { ...
  def map[B](f: A => B): List[B] = this match {
    case Nil => this
    case x :: xs => f(x) :: xs.map(f)
  }
}
```

Using `map`, `scaleList` can be more concisely written as follows.

```
def scaleList(xs: List[Double], factor: Double) =
  xs map (x => x * factor);
```

As another example, consider the problem of returning a given column of a matrix which is represented as a list of rows, where each row is again a list. This is done by the following function `column`.

```
def column[A](xs: List[List[A]], index: Int): List[A] =
  xs map (row => row at index);
```

Closely related to `map` is the `foreach` method, which applies a given function to all elements of a list, but does not construct a list of results. The function is thus applied only for its side effect. `foreach` is defined as follows.

```

def foreach(f: a => unit): unit = this match {
  case Nil => ()
  case x :: xs => f(x) ; xs.foreach(f)
}

```

This function can be used for printing all elements of a list, for instance:

```
xs foreach (x => System.out.println(x))
```

**Exercise 9.4.1** Consider a function which squares all elements of a list and returns a list with the results. Complete the following two equivalent definitions of `squareList`.

```

def squareList(xs: List[int]): List[int] = xs match {
  case List() => ??
  case y :: ys => ??
}
def squareList(xs: List[int]): List[int] =
  xs map ??

```

**Filtering Lists.** Another common operation selects from a list all elements fulfilling a given criterion. For instance, to return a list of all positive elements in some given lists of integers:

```

def posElems(xs: List[int]): List[int] = xs match {
  case Nil => xs
  case x :: xs1 => if (x > 0) x :: posElems(xs1) else posElems(xs1)
}

```

This pattern is generalized to the `filter` method of class `List`:

```

def filter(p: a => boolean): List[a] = this match {
  case Nil => this
  case x :: xs => if (p(x)) x :: xs.filter(p) else xs.filter(p)
}

```

Using `filter`, `posElems` can be more concisely written as follows.

```

def posElems(xs: List[int]): List[int] =
  xs filter (x => x > 0);

```

An operation related to filtering is testing whether all elements of a list satisfy a certain condition. Dually, one might also be interested in the question whether there exists an element in a list that satisfies a certain condition. These operations are embodied in the higher-order functions `forall` and `exists` of class `List`.

```

def forall(p: a => Boolean): Boolean =
  isEmpty || (p(head) && (tail forall p));
def exists(p: a => Boolean): Boolean =
  !isEmpty && (p(head) || (tail exists p));

```

To illustrate the use of `forall`, consider the question whether a number is prime. Remember that a number  $n$  is prime if it can be divided without remainder only by one and itself. The most direct translation of this definition would test that  $n$  divided by all numbers from 2 up to and excluding itself gives a non-zero remainder. This list of numbers can be generated using a function `List.range` which is defined in object `List` as follows.

```

package scala;
object List { ...
  def range(from: Int, end: Int): List[Int] =
    if (from >= end) Nil else from :: range(from + 1, end);

```

For example, `List.range(2, n)` generates the list of all integers from 2 up to and excluding  $n$ . The function `isPrime` can now simply be defined as follows.

```

def isPrime(n: Int) =
  List.range(2, n) forall (x => n % x != 0);

```

We see that the mathematical definition of prime-ness has been translated directly into Scala code.

Exercise: Define `forall` and `exists` in terms of `filter`.

**Folding and Reducing Lists.** Another common operation is to combine the elements of a list with some operator. For instance:

$$\begin{aligned} \text{sum}(\text{List}(x_1, \dots, x_n)) &= 0 + x_1 + \dots + x_n \\ \text{product}(\text{List}(x_1, \dots, x_n)) &= 1 * x_1 * \dots * x_n \end{aligned}$$

Of course, we can implement both functions with a recursive scheme:

```

def sum(xs: List[Int]): Int = xs match {
  case Nil => 0
  case y :: ys => y + sum(ys)
}
def product(xs: List[Int]): Int = xs match {
  case Nil => 1
  case y :: ys => y * product(ys)
}

```

But we can also use the generalization of this program scheme embodied in the `reduceLeft` method of class `List`. This method inserts a given binary operator be-

tween adjacent elements of a given list. E.g.

$$\text{List}(x_1, \dots, x_n).\text{reduceLeft}(\text{op}) = (\dots(x_1 \text{ op } x_2) \text{ op } \dots) \text{ op } x_n$$

Using `reduceLeft`, we can make the common pattern in sum and product apparent:

```
def sum(xs: List[int])      = (0 :: xs) reduceLeft {(x, y) => x + y};
def product(xs: List[int]) = (1 :: xs) reduceLeft {(x, y) => x * y};
```

Here is the implementation of `reduceLeft`.

```
def reduceLeft(op: (a, a) => a): a = this match {
  case Nil      => throw new Error("Nil.reduceLeft")
  case x :: xs => (xs foldLeft x)(op)
}
def foldLeft[b](z: b)(op: (b, a) => b): b = this match {
  case Nil => z
  case x :: xs => (xs foldLeft op(z, x))(op)
}
}
```

We see that the `reduceLeft` method is defined in terms of another generally useful method, `foldLeft`. The latter takes as additional parameter an *accumulator* `z`, which is returned when `foldLeft` is applied on an empty list. That is,

$$(\text{List}(x_1, \dots, x_n) \text{ foldLeft } z)(\text{op}) = (\dots(z \text{ op } x_1) \text{ op } \dots) \text{ op } x_n$$

The sum and product methods can be defined alternatively using `foldLeft`:

```
def sum(xs: List[int])      = (xs foldLeft 0) {(x, y) => x + y};
def product(xs: List[int]) = (xs foldLeft 1) {(x, y) => x * y};
```

**FoldRight and ReduceRight.** Applications of `foldLeft` and `reduceLeft` expand to left-leaning trees. . They have duals `foldRight` and `reduceRight`, which produce right-leaning trees.

$$\begin{aligned} \text{List}(x_1, \dots, x_n).\text{reduceRight}(\text{op}) &= x_1 \text{ op } (\dots (x_{n-1} \text{ op } x_n) \dots) \\ (\text{List}(x_1, \dots, x_n) \text{ foldRight } \text{acc})(\text{op}) &= x_1 \text{ op } (\dots (x_n \text{ op } \text{acc}) \dots) \end{aligned}$$

These are defined as follows.

```
def reduceRight(op: (a, a) => a): a = match
  case Nil => throw new Error("Nil.reduceRight")
  case x :: Nil => x
  case x :: xs => op(x, xs.reduceRight(op))
}
def foldRight[b](z: b)(op: (a, b) => b): b = match {
```

```

    case Nil => z
    case x :: xs => op(x, (xs foldRight z)(op))
  }

```

Class `List` defines also two symbolic abbreviations for `foldLeft` and `foldRight`:

```

def /:[b](z: b)(f: (b, a) => b): b = foldLeft(z)(f);
def :\[b](z: b)(f: (a, b) => b): b = foldRight(z)(f);

```

The method names picture the left/right leaning trees of the fold operations by forward or backward slashes. The `:` points in each case to the list argument whereas the end of the slash points to the accumulator (or: zero) argument `z`. That is,

$$\begin{aligned}
 (z \text{ /: } \text{List}(x_1, \dots, x_n))(op) &= (\dots(z \text{ op } x_1) \text{ op } \dots) \text{ op } x_n \\
 (\text{List}(x_1, \dots, x_n) \text{ :\ } z)(op) &= x_1 \text{ op } (\dots (x_n \text{ op } acc) \dots)
 \end{aligned}$$

For associative and commutative operators, `/:` and `:\` are equivalent (even though there may be a difference in efficiency).

**Exercise 9.4.2** Consider the problem of writing a function `flatten`, which takes a list of element lists as arguments. The result of `flatten` should be the concatenation of all element lists into a single list. Here is the an implementation of this method in terms of `:\`.

```

def flatten[a](xs: List[List[a]]): List[a] =
  (xs :\ (Nil: List[a])) {(x, xs) => x ::: xs};

```

Consider replacing the first part of the body of `flatten` by `(Nil /: xs)`. What would be the difference in asymptotic complexity between the two versions of `flatten`?

In fact `flatten` is predefined together with a set of other useful function in an object called `List` in the standard Scala library. It can be accessed from user program by calling `List.flatten`. Note that `flatten` is not a method of class `List` – it would not make sense there, since it applies only to lists of lists, not to all lists in general.

**List Reversal Again.** We have seen in Section 9.2 an implementation of method `reverse` whose run-time was quadratic in the length of the list to be reversed. We now develop a new implementation of `reverse`, which has linear cost. The idea is to use a `foldLeft` operation based on the following program scheme.

```

class List[+a] { ...
  def reverse: List[a] = (z? /: this)(op?);

```

It only remains to fill in the `z?` and `op?` parts. Let's try to deduce them from examples.

```

Nil
= Nil.reverse           // by specification

```



```

= (z /: Nil)(op)           // by the template for reverse
= (Nil foldLeft z)(op)     // by the definition of /:
= z                       // by definition of foldLeft

```

Hence,  $z?$  must be `Nil`. To deduce the second operand, let's study reversal of a list of length one.

```

List(x)
= List(x).reverse          // by specification
= (Nil /: List(x))(op)     // by the template for reverse, with z = Nil
= (List(x) foldLeft Nil)(op) // by the definition of /:
= op(Nil, x)              // by definition of foldLeft

```

Hence,  $\text{op}(\text{Nil}, x)$  equals  $\text{List}(x)$ , which is the same as  $x :: \text{Nil}$ . This suggests to take as  $\text{op}$  the  $::$  operator with its operands exchanged. Hence, we arrive at the following implementation for `reverse`, which has linear complexity.

```

def reverse: List[a] =
  ((Nil: List[a]) /: this) {(xs, x) => x :: xs};

```

(Remark: The type annotation of `Nil` is necessary to make the type inferencer work.)

**Exercise 9.4.3** Fill in the missing expressions to complete the following definitions of some basic list-manipulation operations as fold operations.

```

def mapFun[a, b](xs: List[a], f: a => b): List[b] =
  (xs :\ List[b]()){ ?? };

def lengthFun[a](xs: List[a]): int =
  (0 /: xs){ ?? };

```

**Nested Mappings.** We can employ higher-order list processing functions to express many computations that are normally expressed as nested loops in imperative languages.

As an example, consider the following problem: Given a positive integer  $n$ , find all pairs of positive integers  $i$  and  $j$ , where  $1 \leq j < i < n$  such that  $i + j$  is prime. For instance, if  $n = 7$ , the pairs are

$i$	2	3	4	4	5	6	6
$j$	1	2	1	3	2	1	5
$i + j$	3	5	5	7	7	7	11

A natural way to solve this problem consists of two steps. In a first step, one generates the sequence of all pairs  $(i, j)$  of integers such that  $1 \leq j < i < n$ . In a second step one then filters from this sequence all pairs  $(i, j)$  such that  $i + j$  is prime.

Looking at the first step in more detail, a natural way to generate the sequence of pairs consists of three sub-steps. First, generate all integers between 1 and  $n$  for  $i$ .

Second, for each integer  $i$  between 1 and  $n$ , generate the list of pairs  $(i, 1)$  up to  $(i, i - 1)$ . This can be achieved by a combination of `range` and `map`:

```
List.range(1, i) map (x => Pair(i, x))
```

Finally, combine all sublists using `foldRight` with `:::`. Putting everything together gives the following expression:

```
List.range(1, n)
  .map(i => List.range(1, i).map(x => Pair(i, x)))
  .foldRight(List[Pair[int, int]]()) {(xs, ys) => xs ::: ys}
  .filter(pair => isPrime(pair._1 + pair._2))
```

**Flattening Maps.** The combination of mapping and then concatenating sublists resulting from the map is so common that there is a special method for it in class `List`:

```
abstract class List[+a] { ...
  def flatMap[b](f: a => List[b]): List[b] = match {
    case Nil => Nil
    case x :: xs => f(x) ::: (xs flatMap f)
  }
}
```

With `flatMap`, the pairs-whose-sum-is-prime expression could have been written more concisely as follows.

```
List.range(1, n)
  .flatMap(i => List.range(1, i).map(x => Pair(i, x)))
  .filter(pair => isPrime(pair._1 + pair._2))
```

## 9.5 Summary

This chapter has introduced lists as a fundamental data structure in programming. Since lists are immutable, they are a common data type in functional programming languages. They play there a role comparable to arrays in imperative languages. However, the access patterns between arrays and lists are quite different. Where array accessing is always done by indexing, this is much less common for lists. We have seen that `scala.List` defines a method called `apply` for indexing; however this operation is much more costly than in the case of arrays (linear as opposed to constant time). Instead of indexing, lists are usually traversed recursively, where

---

recursion steps are usually based on a pattern match over the traversed list. There is also a rich set of higher-order combinators which allow one to instantiate a set of predefined patterns of computations over lists.



## Chapter 10

# For-Comprehensions

The last chapter demonstrated that higher-order functions such as `map`, `flatMap`, `filter` provide powerful constructions for dealing with lists. But sometimes the level of abstraction required by these functions makes a program hard to understand.

To help understandability, Scala has a special notation which simplifies common patterns of applications of higher-order functions. This notation builds a bridge between set-comprehensions in mathematics and for-loops in imperative languages such as C or Java. It also closely resembles the query notation of relational databases.

As a first example, say we are given a list `persons` of persons with `name` and `age` fields. To print the names of all persons in the sequence which are aged over 20, one can write:

```
for (val p <- persons; p.age > 20) yield p.name
```

This is equivalent to the following expression, which uses higher-order functions `filter` and `map`:

```
persons filter (p => p.age > 20) map (p => p.name)
```

The for-comprehension looks a bit like a for-loop in imperative languages, except that it constructs a list of the results of all iterations.

Generally, a for-comprehension is of the form

```
for ( s ) yield e
```

Here, *s* is a sequence of *generators* and *filters*. A *generator* is of the form `val x <- e`, where *e* is a list-valued expression. It binds *x* to successive values in the list. A *filter* is an expression *f* of type `boolean`. It omits from consideration all bindings for which *f* is **false**. The sequence *s* starts in each case with a generator. If there are several

generators in a sequence, later generators vary more rapidly than earlier ones.

Here are two examples that show how for-comprehensions are used. First, let's redo an example of the previous chapter: Given a positive integer  $n$ , find all pairs of positive integers  $i$  and  $j$ , where  $1 \leq j < i < n$  such that  $i + j$  is prime. With a for-comprehension this problem is solved as follows:

```
for (val i <- List.range(1, n);  
    val j <- List.range(1, i);  
    isPrime(i+j)) yield Pair(i, j)
```

This is arguably much clearer than the solution using `map`, `flatMap` and `filter` that we have developed previously.

As a second example, consider computing the scalar product of two vectors `xs` and `ys`. Using a for-comprehension, this can be written as follows.

```
sum (for(val (x, y) <- xs zip ys) yield x * y)
```

## 10.1 The N-Queens Problem

For-comprehensions are especially useful for solving combinatorial puzzles. An example of such a puzzle is the 8-queens problem: Given a standard chess-board, place 8 queens such that no queen is in check from any other (a queen can check another piece if they are on the same column, row, or diagonal). We will now develop a solution to this problem, generalizing it to chess-boards of arbitrary size. Hence, the problem is to place  $n$  queens on a chess-board of size  $n \times n$ .

To solve this problem, note that we need to place a queen in each row. So we could place queens in successive rows, each time checking that a newly placed queen is not in check from any other queens that have already been placed. In the course of this search, it might arrive that a queen to be placed in row  $k$  would be in check in all fields of that row from queens in row 1 to  $k - 1$ . In that case, we need to abort that part of the search in order to continue with a different configuration of queens in columns 1 to  $k - 1$ .

This suggests a recursive algorithm. Assume that we have already generated all solutions of placing  $k - 1$  queens on a board of size  $n \times n$ . We can represent each such solution by a list of length  $k - 1$  of column numbers (which can range from 1 to  $n$ ). We treat these partial solution lists as stacks, where the column number of the queen in row  $k - 1$  comes first in the list, followed by the column number of the queen in row  $k - 2$ , etc. The bottom of the stack is the column number of the queen placed in the first row of the board. All solutions together are then represented as a list of lists, with one element for each solution.

Now, to place the  $k$ 'th queen, we generate all possible extensions of each previous solution by one more queen. This yields another list of solution lists, this time of

length  $k$ . We continue the process until we have reached solutions of the size of the chess-board  $n$ . This algorithmic idea is embodied in function `placeQueens` below:

```
def queens(n: Int): List[List[Int]] = {
  def placeQueens(k: Int): List[List[Int]] =
    if (k == 0) List(List())
    else for (val queens <- placeQueens(k - 1);
              val column <- List.range(1, n + 1);
              isSafe(column, queens, 1)) yield col :: queens;
  placeQueens(n);
}
```

**Exercise 10.1.1** Write the function

```
def isSafe(col: Int, queens: List[Int], delta: Int): Boolean
```

which tests whether a queen in the given column `col` is safe with respect to the queens already placed. Here, `delta` is the difference between the row of the queen to be placed and the row of the first queen in the list.

## 10.2 Querying with For-Comprehensions

The for-notation is essentially equivalent to common operations of database query languages. For instance, say we are given a database `books`, represented as a list of books, where `Book` is defined as follows.

```
case class Book(title: String, authors: List[String]);
```

Here is a small example database:

```
val books: List[Book] = List(
  Book("Structure and Interpretation of Computer Programs",
    List("Abelson, Harold", "Sussman, Gerald J.")),
  Book("Principles of Compiler Design",
    List("Aho, Alfred", "Ullman, Jeffrey")),
  Book("Programming in Modula-2",
    List("Wirth, Niklaus")),
  Book("Introduction to Functional Programming",
    List("Bird, Richard")),
  Book("The Java Language Specification",
    List("Gosling, James", "Joy, Bill", "Steele, Guy", "Bracha, Gilad")));
```

Then, to find the titles of all books whose author's last name is "Ullman":

```
for (val b <- books; val a <- b.authors; a startsWith "Ullman")
yield b.title
```

(Here, `startsWith` is a method in `java.lang.String`). Or, to find the titles of all books that have the string “Program” in their title:

```
for (val b <- books; (b.title indexOf "Program") >= 0)
yield b.title
```

Or, to find the names of all authors that have written at least two books in the database.

```
for (val b1 <- books; val b2 <- books; b1 != b2;
      val a1 <- b1.authors; val a2 <- b2.authors; a1 == a2)
yield a1
```

The last solution is not yet perfect, because authors will appear several times in the list of results. We still need to remove duplicate authors from result lists. This can be achieved with the following function.

```
def removeDuplicates[a](xs: List[a]): List[a] =
  if (xs.isEmpty) xs
  else xs.head :: removeDuplicates(xs.tail filter (x => x != xs.head));
```

Note that the last expression in method `removeDuplicates` can be equivalently expressed using a for-comprehension.

```
xs.head :: removeDuplicates(for (val x <- xs.tail; x != xs.head) yield x)
```

## 10.3 Translation of For-Comprehensions

Every for-comprehension can be expressed in terms of the three higher-order functions `map`, `flatMap` and `filter`. Here is the translation scheme, which is also used by the Scala compiler.

- A simple for-comprehension

```
for (val x <- e) yield e'
```

is translated to

```
e.map(x => e')
```

- A for-comprehension

```
for (val x <- e; f; s) yield e'
```

where `f` is a filter and `s` is a (possibly empty) sequence of generators or filters is translated to



```
for (val x <- e.filter(x => f); s) yield e'
```

and then translation continues with the latter expression.

- A for-comprehension

```
for (val x <- e; y <- e'; s) yield e''
```

where s is a (possibly empty) sequence of generators or filters is translated to

```
e.flatMap(x => for (y <- e'; s) yield e'')
```

and then translation continues with the latter expression.

For instance, taking our "pairs of integers whose sum is prime" example:

```
for ( val i <- range(1, n);
      val j <- range(1, i);
      isPrime(i+j)
    ) yield (i, j)
```

Here is what we get when we translate this expression:

```
range(1, n)
  .flatMap(i =>
    range(1, i)
      .filter(j => isPrime(i+j))
      .map(j => (i, j)))
```

Conversely, it would also be possible to express functions `map`, `flatMap` and `filter` using for-comprehensions. Here are the three functions again, this time implemented using for-comprehensions.

```
object Demo {
  def map[a, b](xs: List[a], f: a => b): List[b] =
    for (val x <- xs) yield f(x);

  def flatMap[a, b](xs: List[a], f: a => List[b]): List[b] =
    for (val x <- xs; val y <- f(x)) yield y;

  def filter[a](xs: List[a], p: a => boolean): List[a] =
    for (val x <- xs; p(x)) yield x;
}
```

Not surprisingly, the translation of the for-comprehension in the body of `Demo.map` will produce a call to `map` in class `List`. Similarly, `Demo.flatMap` and `Demo.filter` translate to `flatMap` and `filter` in class `List`.

**Exercise 10.3.1** Define the following function in terms of `for`.

```
def flatten(xss: List[List[a]]): List[a] =
  (xss :\ List()) ((xs, ys) => xs ::: ys)
```

### Exercise 10.3.2 Translate

```
for ( val b <- books; val a <- b.authors; a startsWith "Bird" ) yield b.title
for ( val b <- books; (b.title indexOf "Program") >= 0 ) yield b.title
```

to higher-order functions.

## 10.4 For-Loops

For-comprehensions resemble for-loops in imperative languages, except that they produce a list of results. Sometimes, a list of results is not needed but we would still like the flexibility of generators and filters in iterations over lists. This is made possible by a variant of the for-comprehension syntax, which expresses for-loops:

```
for ( s ) e
```

This construct is the same as the standard for-comprehension syntax except that the keyword **yield** is missing. The for-loop is executed by executing the expression *e* for each element generated from the sequence of generators and filters *s*.

As an example, the following expression prints out all elements of a matrix represented as a list of lists:

```
for (xs <- xss) {
  for (x <- xs) System.out.print(x + "\t")
  System.out.println()
}
```

The translation of for-loops to higher-order methods of class `List` is similar to the translation of for-comprehensions, but is simpler. Where for-comprehensions translate to `map` and `flatMap`, for-loops translate in each case to `foreach`.

## 10.5 Generalizing For

We have seen that the translation of for-comprehensions only relies on the presence of methods `map`, `flatMap`, and `filter`. Therefore it is possible to apply the same notation to generators that produce objects other than lists; these objects only have to support the three key functions `map`, `flatMap`, and `filter`.

The standard Scala library has several other abstractions that support these three methods and with them support for-comprehensions. We will encounter some of

them in the following chapters. As a programmer you can also use this principle to enable for-comprehensions for types you define – these types just need to support methods `map`, `flatMap`, and `filter`.

There are many examples where this is useful: Examples are database interfaces, XML trees, or optional values. We will see in Chapter 14.2 how for-comprehensions can be used in the definition of parsers for context-free grammars that construct abstract syntax trees.

One caveat: It is not assured automatically that the result translating a for-comprehension is well-typed. To ensure this, the types of `map`, `flatMap` and `filter` have to be essentially similar to the types of these methods in class `List`.

To make this precise, assume you have a parameterized class `C[a]` for which you want to enable for-comprehensions. Then `C` should define `map`, `flatMap` and `filter` with the following types:

```
def map[b](f: a => b): C[b]
def flatMap[b](f: a => C[b]): C[b]
def filter(p: a => boolean): C[a]
```

It would be attractive to enforce these types statically in the Scala compiler, for instance by requiring that any type supporting for-comprehensions implements a standard trait with these methods<sup>1</sup>. The problem is that such a standard trait would have to abstract over the identity of the class `C`, for instance by taking `C` as a type parameter. Note that this parameter would be a type constructor, which gets applied to *several different* types in the signatures of methods `map` and `flatMap`. Unfortunately, the Scala type system is too weak to express this construct, since it can handle only type parameters which are fully applied types.

---

<sup>1</sup>In the programming language Haskell, which has similar constructs, this abstraction is called a “monad with zero”



## Chapter 11

# Mutable State

Most programs we have presented so far did not have side-effects<sup>1</sup>. Therefore, the notion of *time* did not matter. For a program that terminates, any sequence of actions would have led to the same result! This is also reflected by the substitution model of computation, where a rewrite step can be applied anywhere in a term, and all rewritings that terminate lead to the same solution. In fact, this *confluence* property is a deep result in  $\lambda$ -calculus, the theory underlying functional programming.

In this chapter, we introduce functions with side effects and study their behavior. We will see that as a consequence we have to fundamentally modify up the substitution model of computation which we employed so far.

### 11.1 Stateful Objects

We normally view the world as a set of objects, some of which have state that *changes* over time. Normally, state is associated with a set of variables that can be changed in the course of a computation. There is also a more abstract notion of state, which does not refer to particular constructs of a programming language: An object *has state* (or: *is stateful*) if its behavior is influenced by its history.

For instance, a bank account object has state, because the question “can I withdraw 100 CHF?” might have different answers during the lifetime of the account.

In Scala, all mutable state is ultimately built from variables. A variable definition is written like a value definition, but starts with `var` instead of `val`. For instance, the following two definitions introduce and initialize two variables `x` and `count`.

```
var x: String = "abc";
```

---

<sup>1</sup>We ignore here the fact that some of our program printed to standard output, which technically is a side effect.

```
var count = 111;
```

Like a value definition, a variable definition associates a name with a value. But in the case of a variable definition, this association may be changed later by an assignment. Such assignments are written as in C or Java. Examples:

```
x = "hello";  
count = count + 1;
```

In Scala, every defined variable has to be initialized at the point of its definition. For instance, the statement **var** *x*: int; is *not* regarded as a variable definition, because the initializer is missing<sup>2</sup>. If one does not know, or does not care about, the appropriate initializer, one can use a wildcard instead. I.e.

```
val x: T = _;
```

will initialize *x* to some default value (**null** for reference types, **false** for booleans, and the appropriate version of 0 for numeric value types).

Real-world objects with state are represented in Scala by objects that have variables as members. For instance, here is a class that represents bank accounts.

```
class BankAccount {  
  private var balance = 0;  
  def deposit(amount: int): unit =  
    if (amount > 0) balance = balance + amount;  
  
  def withdraw(amount: int): int =  
    if (0 < amount && amount <= balance) {  
      balance = balance - amount;  
      balance  
    } else throw new Error("insufficient funds");  
}
```

The class defines a variable *balance* which contains the current balance of an account. Methods *deposit* and *withdraw* change the value of this variable through assignments. Note that *balance* is **private** in class *BankAccount* – hence it can not be accessed directly outside the class.

To create bank-accounts, we use the usual object creation notation:

```
val myAccount = new BankAccount
```

**Example 11.1.1** Here is a *scalaint* session that deals with bank accounts.

---

<sup>2</sup>If a statement like this appears in a class, it is instead regarded as a variable declaration, which introduces abstract access methods for the variable, but does not associate these methods with a piece of state.

```
> :l bankaccount.scala
loading file 'bankaccount.scala'
> val account = new BankAccount
val account : BankAccount = BankAccount$class@1797795
> account deposit 50
(): scala.Unit
> account withdraw 20
30: scala.Int
> account withdraw 20
10: scala.Int
> account withdraw 15
java.lang.RuntimeException: insufficient funds
    at BankAccount$class.withdraw(bankaccount.scala:13)
    at <top-level>(console:1)
>
```

The example shows that applying the same operation (withdraw 20) twice to an account yields different results. So, clearly, accounts are stateful objects.

**Sameness and Change.** Assignments pose new problems in deciding when two expressions are “the same”. If assignments are excluded, and one writes

```
val x = E; val y = E;
```

where E is some arbitrary expression, then x and y can reasonably be assumed to be the same. I.e. one could have equivalently written

```
val x = E; val y = x;
```

(This property is usually called *referential transparency*). But once we admit assignments, the two definition sequences are different. Consider:

```
val x = new BankAccount; val y = new BankAccount;
```

To answer the question whether x and y are the same, we need to be more precise what “sameness” means. This meaning is captured in the notion of *operational equivalence*, which, somewhat informally, is stated as follows.

Suppose we have two definitions of x and y. To test whether x and y define the same value, proceed as follows.

- Execute the definitions followed by an arbitrary sequence S of operations that involve x and y. Observe the results (if any).
- Then, execute the definitions with another sequence S' which results from S by renaming all occurrences of y in S to x.
- If the results of running S' are different, then surely x and y are different.

- On the other hand, if all possible pairs of sequences  $(S, S')$  yield the same results, then  $x$  and  $y$  are the same.

In other words, operational equivalence regards two definitions  $x$  and  $y$  as defining the same value, if no possible experiment can distinguish between  $x$  and  $y$ . An experiment in this context are two version of an arbitrary program which use either  $x$  or  $y$ .

Given this definition, let's test whether

```
val x = new BankAccount; val y = new BankAccount;
```

defines values  $x$  and  $y$  which are the same. Here are the definitions again, followed by a test sequence:

```
> val x = new BankAccount
> val y = new BankAccount
> x deposit 30
30
> y withdraw 20
java.lang.RuntimeException: insufficient funds
```

Now, rename all occurrences of  $y$  in that sequence to  $x$ . We get:

```
> val x = new BankAccount
> val y = new BankAccount
> x deposit 30
30
> x withdraw 20
10
```

Since the final results are different, we have established that  $x$  and  $y$  are not the same. On the other hand, if we define

```
val x = new BankAccount; val y = x
```

then no sequence of operations can distinguish between  $x$  and  $y$ , so  $x$  and  $y$  are the same in this case.

**Assignment and the Substitution Model.** These examples show that our previous substitution model of computation cannot be used anymore. After all, under this model we could always replace a value name by its defining expression. For instance in

```
val x = new BankAccount; val y = x
```

the  $x$  in the definition of  $y$  could be replaced by `new BankAccount`. But we have seen that this change leads to a different program. So the substitution model must be



invalid, once we add assignments.

## 11.2 Imperative Control Structures

Scala has the **while** and **do-while** loop constructs known from the C and Java languages. There is also a single branch **if** which leaves out the else-part as well as a **return** statement which aborts a function prematurely. This makes it possible to program in a conventional imperative style. For instance, the following function, which computes the n'th power of a given parameter x, is implemented using **while** and single-branch **if**.

```
def power (x: double, n: int): double = {
  var r = 1.0;
  var i = n;
  while (i > 0) {
    if ((i & 1) == 1) { r = r * x }
    if (i > 1) r = r * r;
    i = i >> 1;
  }
  r
}
```

These imperative control constructs are in the language for convenience. They could have been left out, as the same constructs can be implemented using just functions. As an example, let's develop a functional implementation of the while loop. `whileLoop` should be a function that takes two parameters: a condition, of type `boolean`, and a command, of type `unit`. Both condition and command need to be passed by-name, so that they are evaluated repeatedly for each loop iteration. This leads to the following definition of `whileLoop`.

```
def whileLoop(condition: => boolean)(command: => unit): unit =
  if (condition) {
    command; whileLoop(condition)(command)
  } else {}
```

Note that `whileLoop` is tail recursive, so it operates in constant stack space.

**Exercise 11.2.1** Write a function `repeatLoop`, which should be applied as follows:

```
repeatLoop { command } ( condition )
```

Is there also a way to obtain a loop syntax like the following?

```
repeatLoop { command } until ( condition )
```

Some other control constructs known from C and Java are missing in Scala: There are no `break` and `continue` jumps for loops. There are also no `for`-loops in the Java sense – these have been replaced by the more general `for`-loop construct discussed in Section 10.4.

## 11.3 Extended Example: Discrete Event Simulation

We now discuss an example that demonstrates how assignments and higher-order functions can be combined in interesting ways. We will build a simulator for digital circuits.

The example is taken from Abelson and Sussman's book [ASS96]. We augment their basic (Scheme-) code by an object-oriented structure which allows code-reuse through inheritance. The example also shows how discrete event simulation programs in general are structured and built.

We start with a little language to describe digital circuits. A digital circuit is built from *wires* and *function boxes*. Wires carry signals which are transformed by function boxes. We will represent signals by the booleans `true` and `false`.

Basic function boxes (or: *gates*) are:

- An *inverter*, which negates its signal
- An *and-gate*, which sets its output to the conjunction of its input.
- An *or-gate*, which sets its output to the disjunction of its input.

Other function boxes can be built by combining basic ones.

Gates have *delays*, so an output of a gate will change only some time after its inputs change.

**A Language for Digital Circuits.** We describe the elements of a digital circuit by the following set of Scala classes and functions.

First, there is a class `Wire` for wires. We can construct wires as follows.

```
val a = new Wire;  
val b = new Wire;  
val c = new Wire;
```

Second, there are functions

```
def inverter(input: Wire, output: Wire): unit  
def andGate(a1: Wire, a2: Wire, output: Wire): unit  
def orGate(o1: Wire, o2: Wire, output: Wire): unit
```

which “make” the basic gates we need (as side-effects). More complicated function boxes can now be built from these. For instance, to construct a half-adder, we can define:

```
def halfAdder(a: Wire, b: Wire, s: Wire, c: Wire): unit = {
  val d = new Wire;
  val e = new Wire;
  orGate(a, b, d);
  andGate(a, b, c);
  inverter(c, e);
  andGate(d, e, s);
}
```

This abstraction can itself be used, for instance in defining a full adder:

```
def fullAdder(a: Wire, b: Wire, cin: Wire, sum: Wire, cout: Wire) = {
  val s = new Wire;
  val c1 = new Wire;
  val c2 = new Wire;
  halfAdder(a, cin, s, c1);
  halfAdder(b, s, sum, c2);
  orGate(c1, c2, cout);
}
```

Class `Wire` and functions `inverter`, `andGate`, and `orGate` represent thus a little language in which users can define digital circuits. We now give implementations of this class and these functions, which allow one to simulate circuits. These implementations are based on a simple and general API for discrete event simulation.

**The Simulation API.** Discrete event simulation performs user-defined *actions* at specified *times*. An *action* is represented as a function which takes no parameters and returns a unit result:

```
type Action = () => unit;
```

The *time* is simulated; it is not the actual “wall-clock” time.

A concrete simulation will be done inside an object which inherits from the abstract `Simulation` class. This class has the following signature:

```
abstract class Simulation {
  def currentTime: int;
  def afterDelay(delay: int, action: => Action): unit;
  def run: unit;
}
```

Here, `currentTime` returns the current simulated time as an integer number, `afterDelay` schedules an action to be performed at a specified delay after `currentTime`, and `run` runs the simulation until there are no further actions to be performed.

**The Wire Class.** A wire needs to support three basic actions.

`getSignal: boolean` returns the current signal on the wire.  
`setSignal(sig: boolean): unit` sets the wire's signal to `sig`.  
`addAction(p: Action): unit` attaches the specified procedure `p` to the *actions* of the wire. All attached action procedures will be executed every time the signal of a wire changes.

Here is an implementation of the `Wire` class:

```
class Wire {
  private var sigVal = false;
  private var actions: List[Action] = List();
  def getSignal = sigVal;
  def setSignal(s: boolean) =
    if (s != sigVal) {
      sigVal = s;
      actions.foreach(action => action());
    }
  def addAction(a: Action) = {
    actions = a :: actions; a()
  }
}
```

Two private variables make up the state of a wire. The variable `sigVal` represents the current signal, and the variable `actions` represents the action procedures currently attached to the wire.

**The Inverter Class.** We implement an inverter by installing an action on its input wire, namely the action which puts the negated input signal onto the output signal. The action needs to take effect at `InverterDelay` simulated time units after the input changes. This suggests the following implementation:

```
def inverter(input: Wire, output: Wire) = {
  def invertAction() = {
    val inputSig = input.getSignal;
    afterDelay(InverterDelay, () => output.setSignal(!inputSig))
  }
  input.addAction invertAction
}
```

**The And-Gate Class.** And-gates are implemented analogously to inverters. The action of an andGate is to output the conjunction of its input signals. This should happen at AndGateDelay simulated time units after any one of its two inputs changes. Hence, the following implementation:

```
def andGate(a1: Wire, a2: Wire, output: Wire) = {
  def andAction() = {
    val a1Sig = a1.getSignal;
    val a2Sig = a2.getSignal;
    afterDelay(AndGateDelay, () => output.setSignal(a1Sig & a2Sig));
  }
  a1 addAction andAction;
  a2 addAction andAction;
}
```

**Exercise 11.3.1** Write the implementation of orGate.

**Exercise 11.3.2** Another way is to define an or-gate by a combination of inverters and and gates. Define a function orGate in terms of andGate and inverter. What is the delay time of this function?

**The Simulation Class.** Now, we just need to implement class Simulation, and we are done. The idea is that we maintain inside a Simulation object an *agenda* of actions to perform. The agenda is represented as a list of pairs of actions and the times they need to be run. The agenda list is sorted, so that earlier actions come before later ones.

```
class Simulation {
  private type Agenda = List[Pair[int, Action]];
  private var agenda: Agenda = List();
```

There is also a private variable curtime to keep track of the current simulated time.

```
  private var curtime = 0;
```

An application of the method afterDelay(delay, action) inserts the pair (curtime + delay, action) into the agenda list at the appropriate place.

```
  def afterDelay(int delay)(action: => Action): unit = {
    val actiontime = curtime + delay;
    def insertAction(ag: Agenda): Agenda = ag match {
      case List() =>
        Pair(actiontime, action) :: ag
      case (first @ Pair(time, act)) :: ag1 =>
        if (actiontime < time) Pair(actiontime, action) :: ag
        else first :: insert(ag1)
```

```

    }
    agenda = insert(agenda)
  }

```

An application of the `run` method removes successive elements from the agenda and performs their actions. It continues until the agenda is empty:

```

def run = {
  afterDelay(0, () => System.out.println("*** simulation started ***"));
  agenda match {
    case List() =>
    case Pair(_, action) :: agenda1 =>
      agenda = agenda1; action(); run
  }
}

```

**Running the Simulator.** To run the simulator, we still need a way to inspect changes of signals on wires. To this purpose, we write a function `probe`.

```

def probe(name: String, wire: Wire): unit = {
  wire addAction (() =>
    System.out.println(
      name + " " + currentTime + " new_value = " + wire.getSignal);
  )
}

```

Now, to see the simulator in action, let's define four wires, and place probes on two of them:

```

> val input1 = new Wire
> val input2 = new Wire
> val sum = new Wire
> val carry = new Wire

> probe("sum", sum)
sum 0 new_value = false
> probe("carry", carry)
carry 0 new_value = false

```

Now let's define a half-adder connecting the wires:

```

> halfAdder(input1, input2, sum, carry);

```

Finally, set one after another the signals on the two input wires to `true` and run the simulation.

```
> input1 setSignal true; run
*** simulation started ***
sum 8 new_value = true
> input2 setSignal true; run
carry 11 new_value = true
sum 15 new_value = false
```

## 11.4 Summary

We have seen in this chapter the constructs that let us model state in Scala – these are variables, assignments, and imperative control structures. State and Assignment complicate our mental model of computation. In particular, referential transparency is lost. On the other hand, assignment gives us new ways to formulate programs elegantly. As always, it depends on the situation whether purely functional programming or programming with assignments works best.





## Chapter 12

# Computing with Streams

The previous chapters have introduced variables, assignment and stateful objects. We have seen how real-world objects that change with time can be modeled by changing the state of variables in a computation. Time changes in the real world thus are modeled by time changes in program execution. Of course, such time changes are usually stretched out or compressed, but their relative order is the same. This seems quite natural, but there is a also price to pay: Our simple and powerful substitution model for functional computation is no longer applicable once we introduce variables and assignment.

Is there another way? Can we model state change in the real world using only immutable functions? Taking mathematics as a guide, the answer is clearly yes: A time-changing quantity is simply modeled by a function  $f(t)$  with a time parameter  $t$ . The same can be done in computation. Instead of overwriting a variable with successive values, we represent all these values as successive elements in a list. So, a mutable variable `var x: T` gets replaced by an immutable value `val x: List[T]`. In a sense, we trade space for time – the different values of the variable now all exit concurrently as different elements of the list. One advantage of the list-based view is that we can “time-travel”, i.e. view several successive values of the variable at the same time. Another advantage is that we can make use of the powerful library of list processing functions, which often simplifies computation. For instance, consider the imperative way to compute the sum of all prime numbers in an interval:

```
def sumPrimes(start: Int, end: Int): Int = {  
  var i = start;  
  var acc = 0;  
  while (i < end) {  
    if (isPrime(i)) acc = acc + i;  
    i = i + 1;  
  }  
  acc  
}
```

Note that the variable `i` “steps through” all values of the interval `[start .. end-1]`. A more functional way is to represent the list of values of variable `i` directly as `range(start, end)`. Then the function can be rewritten as follows.

```
def sumPrimes(start: Int, end: Int) =
  sum(range(start, end) filter isPrime);
```

No contest which program is shorter and clearer! However, the functional program is also considerably less efficient since it constructs a list of all numbers in the interval, and then another one for the prime numbers. Even worse from an efficiency point of view is the following example:

To find the second prime number between 1000 and 10000:

```
range(1000, 10000) filter isPrime at 1
```

Here, the list of all numbers between 1000 and 10000 is constructed. But most of that list is never inspected!

However, we can obtain efficient execution for examples like these by a trick:

Avoid computing the tail of a sequence unless that tail is actually necessary for the computation.

We define a new class for such sequences, which is called `Stream`.

Streams are created using the constant `empty` and the constructor `cons`, which are both defined in module `scala.Stream`. For instance, the following expression constructs a stream with elements 1 and 2:

```
Stream.cons(1, Stream.cons(2, Stream.empty))
```

As another example, here is the analogue of `List.range`, but returning a stream instead of a list:

```
def range(start: Int, end: Int): Stream[Int] =
  if (start >= end) Stream.empty
  else Stream.cons(start, range(start + 1, end));
```

(This function is also defined as given above in module `Stream`). Even though `Stream.range` and `List.range` look similar, their execution behavior is completely different:

`Stream.range` immediately returns with a `Stream` object whose first element is `start`. All other elements are computed only when they are *demand*ed by calling the `tail` method (which might be never at all).

Streams are accessed just as lists. as for lists, the basic access methods are `isEmpty`, `head` and `tail`. For instance, we can print all elements of a stream as follows.

```
def print(xs: Stream[a]): unit =  
  if (!xs.isEmpty) { System.out.println(xs.head); print(xs.tail) };
```

Streams also support almost all other methods defined on lists (see below for where their methods sets differ). For instance, we can find the second prime number between 1000 and 10000 by applying methods `filter` and `apply` on an interval stream:

```
Stream.range(1000, 10000) filter isPrime at 1
```

The difference to the previous list-based implementation is that now we do not needlessly construct and test for primality any numbers beyond 3.

**Consing and appending streams.** Two methods in class `List` which are not supported by class `Stream` are `::` and `:::`. The reason is that these methods are dispatched on their right-hand side argument, which means that this argument needs to be evaluated before the method is called. For instance, in the case of `x :: xs` on lists, the tail `xs` needs to be evaluated before `::` can be called and the new list can be constructed. This does not work for streams, where we require that the tail of a stream should not be evaluated until it is demanded by a `tail` operation. The argument why list-append `:::` cannot be adapted to streams is analogous.

Instead of `x :: xs`, one uses `Stream.cons(x, xs)` for constructing a stream with first element `x` and (unevaluated) rest `xs`. Instead of `xs :::` `ys`, one uses the operation `xs append ys`.



## Chapter 13

# Iterators

Iterators are the imperative version of streams. Like streams, iterators describe potentially infinite lists. However, there is no data-structure which contains the elements of an iterator. Instead, iterators allow one to step through the sequence, using two abstract methods `next` and `hasNext`.

```
trait Iterator[+a] {  
  def hasNext: boolean;  
  def next: a;  
}
```

Method `next` returns successive elements. Method `hasNext` indicates whether there are still more elements to be returned by `next`. Iterators also support some other methods, which are explained later.

As an example, here is an application which prints the squares of all numbers from 1 to 100.

```
var it: Iterator[int] = Iterator.range(1, 100);  
while (it.hasNext) {  
  val x = it.next;  
  System.out.println(x * x)  
}
```

### 13.1 Iterator Methods

Iterators support a rich set of methods besides `next` and `hasNext`, which is described in the following. Many of these methods mimic a corresponding functionality in lists.

**Append.** Method `append` constructs an iterator which resumes with the given iterator `it` after the current iterator has finished.

```
def append[b >: a](that: Iterator[b]): Iterator[b] = new Iterator[b] {
  def hasNext = Iterator.this.hasNext || that.hasNext;
  def next = if (Iterator.this.hasNext) Iterator.this.next else that.next;
}
```

The terms `Iterator.this.next` and `Iterator.this.hasNext` in the definition of `append` call the corresponding methods as they are defined in the enclosing `Iterator` class. If the `Iterator` prefix to `this` would have been missing, `hasNext` and `next` would have called recursively the methods being defined in the result of `append`, which is not what we want.

**Map, FlatMap, Foreach.** Method `map` constructs an iterator which returns all elements of the original iterator transformed by a given function `f`.

```
def map[b](f: a => b): Iterator[b] = new Iterator[b] {
  def hasNext = Iterator.this.hasNext;
  def next = f(Iterator.this.next);
}
```

Method `flatMap` is like method `map`, except that the transformation function `f` now returns an iterator. The result of `flatMap` is the iterator resulting from appending together all iterators returned from successive calls of `f`.

```
def flatMap[b](f: a => Iterator[b]): Iterator[b] = new Iterator[b] {
  private var cur: Iterator[b] = Iterator.empty;
  def hasNext: Boolean =
    if (cur.hasNext) true
    else if (Iterator.this.hasNext) { cur = f(Iterator.this.next); hasNext }
    else false;
  def next: b =
    if (cur.hasNext) cur.next
    else if (Iterator.this.hasNext) { cur = f(Iterator.this.next); next }
    else throw new Error("next on empty iterator");
}
```

Closely related to `map` is the `foreach` method, which applies a given function to all elements of an iterator, but does not construct a list of results

```
def foreach(f: a => Unit): Unit =
  while (hasNext) { f(next) }
```

**Filter.** Method `filter` constructs an iterator which returns all elements of the original iterator that satisfy a criterion `p`.

```
def filter(p: a => Boolean) = new BufferedIterator[a] {
  private val source =
    Iterator.this.buffered;
  private def skip: Unit =
    while (source.hasNext && !p(source.head)) { source.next; () }
  def hasNext: Boolean =
    { skip; source.hasNext }
  def next: a =
    { skip; source.next }
  def head: a =
    { skip; source.head; }
}
```

In fact, `filter` returns instances of a subclass of iterators which are “buffered”. A `BufferedIterator` object is an iterator which has in addition a method `head`. This method returns the element which would otherwise have been returned by `head`, but does not advance beyond that element. Hence, the element returned by `head` is returned again by the next call to `head` or `next`. Here is the definition of the `BufferedIterator` trait.

```
trait BufferedIterator[+a] extends Iterator[a] {
  def head: a;
}
```

Since `map`, `flatMap`, `filter`, and `foreach` exist for iterators, it follows that for-comprehensions and for-loops can also be used on iterators. For instance, the application which prints the squares of numbers between 1 and 100 could have equivalently been expressed as follows.

```
for (val i <- Iterator.range(1, 100))
  System.out.println(i * i);
```

**Zip.** Method `zip` takes another iterator and returns an iterator consisting of pairs of corresponding elements returned by the two iterators.

```
def zip[b](that: Iterator[b]) = new Iterator[Pair[a, b]] {
  def hasNext = Iterator.this.hasNext && that.hasNext;
  def next = Pair(Iterator.this.next, that.next);
}
}
```

## 13.2 Constructing Iterators

Concrete iterators need to provide implementations for the two abstract methods `next` and `hasNext` in class `Iterator`. The simplest iterator is `Iterator.empty` which always returns an empty sequence:

```
object Iterator {
  object empty extends Iterator[All] {
    def hasNext = false;
    def next: a = throw new Error("next on empty iterator");
  }
}
```

A more interesting iterator enumerates all elements of an array. This iterator is constructed by the `fromArray` method, which is also defined in the object `Iterator`

```
def fromArray[a](xs: Array[a]) = new Iterator[a] {
  private var i = 0;
  def hasNext: Boolean =
    i < xs.length;
  def next: a =
    if (i < xs.length) { val x = xs(i) ; i = i + 1 ; x }
    else throw new Error("next on empty iterator");
}
```

Another iterator enumerates an integer interval. The `Iterator.range` function returns an iterator which traverses a given interval of integer values. It is defined as follows.

```
object Iterator {
  def range(start: Int, end: Int) = new Iterator[Int] {
    private var current = start;
    def hasNext = current < end;
    def next = {
      val r = current;
      if (current < end) current = current + 1
      else throw new Error("end of iterator");
      r
    }
  }
}
```

All iterators seen so far terminate eventually. It is also possible to define iterators that go on forever. For instance, the following iterator returns successive integers from some start value<sup>1</sup>.

---

<sup>1</sup>Due to the finite representation of type `Int`, numbers will wrap around at  $2^{31}$ .



```
def from(start: int) = new Iterator[int] {  
  private var last = start - 1;  
  def hasNext = true;  
  def next = { last = last + 1; last }  
}
```

## 13.3 Using Iterators

Here are two more examples how iterators are used. First, to print all elements of an array `xs: Array[int]`, one can write:

```
Iterator.fromArray(xs) foreach (x =>  
  System.out.println(x))
```

Or, using a for-comprehension:

```
for (val x <- Iterator.fromArray(xs))  
  System.out.println(x)
```

As a second example, consider the problem of finding the indices of all the elements in an array of doubles greater than some limit. The indices should be returned as an iterator. This is achieved by the following expression.

```
import Iterator._;  
fromArray(xs)  
  .zip(from(0))  
  .filter(case Pair(x, i) => x > limit)  
  .map(case Pair(x, i) => i)
```

Or, using a for-comprehension:

```
import Iterator._;  
for (val Pair(x, i) <- fromArray(xs) zip from(0); x > limit)  
  yield i
```



## Chapter 14

# Combinator Parsing

In this chapter we describe how to write combinator parsers in Scala. Such parsers are constructed from predefined higher-order functions, so called *parser combinators*, that closely model the constructions of an EBNF grammar [Wir77].

As running example, we consider parsers for possibly nested lists of identifiers and numbers, which are described by the following context-free grammar.

letter	::=	/* all letters */
digit	::=	/* all digits */
ident	::=	letter {letter   digit }
number	::=	digit {digit}
list	::=	'(' [listElems] ')'
listElems	::=	expr [',' listElems]
expr	::=	ident   number   list

### 14.1 Simple Combinator Parsing

In this section we will only be concerned with the task of recognizing input strings, not with processing them. So we can describe parsers by the sets of input strings they accept. There are two fundamental operators over parsers: `&&&` expresses the sequential composition of a parser with another, while `|||` expresses an alternative. These operations will both be defined as methods of a `Parser` class. We will also define constructors for the following primitive parsers:

<code>empty</code>	The parser that accepts the empty string
<code>fail</code>	The parser that accepts no string
<code>chr(c: char)</code>	The parser that accepts the single-character string “ <i>c</i> ”.
<code>chr(p: char =&gt; boolean)</code>	The parser that accepts single-character strings “ <i>c</i> ” for which <i>p(c)</i> is true.

There are also the two higher-order parser combinators `opt`, expressing optionality and `rep`, expressing repetition. For any parser *p*, `opt(p)` yields a parser that accepts the strings accepted by *p* or else the empty string, while `rep(p)` accepts arbitrary sequences of the strings accepted by *p*. In EBNF, `opt(p)` corresponds to `[p]` and `rep(p)` corresponds to `{p}`.

The central idea of parser combinators is that parsers can be produced by a straightforward rewrite of the grammar, replacing  `::=`  with  `=` , sequencing with  `&&&` , choice  `|`  with  `|||` , repetition  `{ ... }`  with  `rep(...)`  and optional occurrence  `[ ... ]`  with  `opt(...)` . Applying this process to the grammar of lists yields the following class.

```
abstract class ListParsers extends Parsers {
  def chr(p: char => boolean): Parser;
  def chr(c: char): Parser = chr(d: char => d == c);

  def letter    : Parser = chr(Character.isLetter);
  def digit     : Parser = chr(Character.isDigit);

  def ident     : Parser = letter &&& rep(letter ||| digit);
  def number    : Parser = digit &&& rep(digit);
  def list      : Parser = chr('(') &&& opt(listElems) &&& chr(')');
  def listElems : Parser = expr &&& (chr(',') &&& listElems ||| empty);
  def expr      : Parser = ident ||| number ||| list;
}
```

This class isolates the grammar from other aspects of parsing. It abstracts over the type of input and over the method used to parse a single character (represented by the abstract method `chr(p: char => boolean)`). The missing bits of information need to be supplied by code applying the parser class.

It remains to explain how to implement a library with the combinators described above. We will pack combinators and their underlying implementation in a base class `Parsers`, which is inherited by `ListParsers`. The first question to decide is which underlying representation type to use for a parser. We treat parsers here essentially as functions that take a datum of the input type `intype` and that yield a parse result of type `Option[intype]`. The `Option` type is predefined as follows.

```
trait Option[+a];
case object None extends Option[All];
case class Some[a](x: a) extends Option[a];
```

A parser applied to some input either succeeds or fails. If it fails, it returns the con-

stant `None`. If it succeeds, it returns a value of the form `Some(in1)` where `in1` represents the input that remains to be parsed.

```
abstract class Parsers {
  type intype;
  abstract class Parser {
    type Result = Option[intype];
    def apply(in: intype): Result;
```

A parser also implements the combinators for sequence and alternative:

```
/** p &&& q applies first p, and if that succeeds, then q */
def &&& (q: => Parser) = new Parser {
  def apply(in: intype): Result = Parser.this.apply(in) match {
    case None => None
    case Some(in1) => q(in1)
  }
}

/** p ||| q applies first p, and, if that fails, then q. */
def ||| (q: => Parser) = new Parser {
  def apply(in: intype): Result = Parser.this.apply(in) match {
    case None => q(in)
    case s => s
  }
}
```

The implementations of the primitive parsers `empty` and `fail` are trivial:

```
val empty = new Parser { def apply(in: intype): Result = Some(in) }
val fail  = new Parser { def apply(in: intype): Result = None }
```

The higher-order parser combinators `opt` and `rep` can be defined in terms of the combinators for sequence and alternative:

```
def opt(p: Parser): Parser = p ||| empty;    // p? = (p | <empty>)
def rep(p: Parser): Parser = opt(rep1(p));   // p* = [p+]
def rep1(p: Parser): Parser = p &&& rep(p);  // p+ = p p*
} // end Parser
```

To run combinator parsers, we still need to decide on a way to handle parser input. Several possibilities exist: The input could be represented as a list, as an array, or as a random access file. Note that the presented combinator parsers use backtracking to change from one alternative to another. Therefore, it must be possible to reset input to a point that was previously parsed. If one restricted the focus to

LL(1) grammars, a non-backtracking implementation of the parser combinators in class `Parsers` would also be possible. In that case sequential input methods based on (say) iterators or sequential files would also be possible.

In our example, we represent the input by a pair of a string, which contains the input phrase as a whole, and an index, which represents the portion of the input which has not yet been parsed. Since the input string does not change, just the index needs to be passed around as a result of individual parse steps. This leads to the following class of parsers that read strings:

```
class ParseString(s: String) extends Parsers {
  type intype = int;
  def chr(p: char => boolean) = new Parser {
    def apply(in: int): Parser#Result =
      if (in < s.length() && p(s.charAt in)) Some(in + 1);
      else None;
  }
  val input = 0;
}
```

This class implements a method `chr(p: char => boolean)` and a value `input`. The `chr` method builds a parser that either reads a single character satisfying the given predicate `p` or fails. All other parsers over strings are ultimately implemented in terms of that method. The input value represents the input as a whole. In our case, it is simply value 0, the start index of the string to be read.

Note `apply`'s result type, `Parser#Result`. This syntax selects the type element `Result` of the type `Parser`. It thus corresponds roughly to selecting a static inner class from some outer class in Java. Note that we could *not* have written `Parser.Result`, as the latter would express selection of the `Result` element from a *value* named `Parser`.

We have now extended the root class `Parsers` in two different directions: Class `ListParsers` defines a grammar of phrases to be parsed, whereas class `ParseString` defines a method by which such phrases are input. To write a concrete parsing application, we need to define both grammar and input method. We do this by combining two extensions of `Parsers` using a *mixin composition*. Here is the start of a sample application:

```
object Test {
  def main(args: Array[String]): unit = {
    val ps = new ListParsers with ParseString(args(0));
```

The last line above creates a new family of parsers by composing class `ListParsers` with class `ParseString`. The two classes share the common superclass `Parsers`. The abstract method `chr` in `ListParsers` is implemented by class `ParseString`.

To run the parser, we apply the start symbol of the grammar `expr` the argument

codeinput and observe the result:

```
ps.expr(input) match {
  case Some(n) =>
    System.out.println("parsed: " + args(0).substring(0, n));
  case None =>
    System.out.println("nothing parsed");
}
}
} // end Test
```

Note the syntax `ps.expr(input)`, which treats the `expr` parser as if it was a function. In Scala, objects with `apply` methods can be applied directly to arguments as if they were functions.

Here is an example run of the program above:

```
> java examples.Test "(x,1,(y,z))"
parsed: (x,1,(y,z))
> java examples.Test "(x,,1,(y,z))"
nothing parsed
```

## 14.2 Parsers that Produce Results

The combinator library of the previous section does not support the generation of output from parsing. But usually one does not just want to check whether a given string belongs to the defined language, one also wants to convert the input string into some internal representation such as an abstract syntax tree.

In this section, we modify our parser library to build parsers that produce results. We will make use of the `for-comprehensions` introduced in Chapter 10. The basic combinator of sequential composition, formerly `p &&& q`, now becomes

```
for (val x <- p; val y <- q) yield e .
```

Here, the names `x` and `y` are bound to the results of executing the parsers `p` and `q`. `e` is an expression that uses these results to build the tree returned by the composed parser.

Before describing the implementation of the new parser combinators, we explain how the new building blocks are used. Say we want to modify our list parser so that it returns an abstract syntax tree of the parsed expression. Syntax trees are given by the following class hierarchy:

```
abstract class Tree{}
case class Id (s: String)      extends Tree {}
case class Num(n: int)         extends Tree {}
```

```
case class Lst(elems: List[Tree]) extends Tree {}
```

That is, a syntax tree is an identifier, an integer number, or a Lst node with a list of trees as descendants.

As a first step towards parsers that produce results we define three little parsers that return a single read character as result.

```
abstract class CharParsers extends Parsers {
  def any: Parser[Char];
  def chr(ch: Char): Parser[Char] =
    for (val c <- any; c == ch) yield c;
  def chr(p: Char => Boolean): Parser[Char] =
    for (val c <- any; p(c)) yield c;
}
```

The any parser succeeds with the first character of remaining input as long as input is nonempty. It is abstract in class ListParsers since we want to abstract in this class from the concrete input method used. The two chr parsers return as before the first input character if it equals a given character or matches a given predicate. They are now implemented in terms of any.

The next level is represented by parsers reading identifiers, numbers and lists. Here is a parser for identifiers.

```
abstract class ListParsers extends CharParsers {
  def ident: Parser[Tree] =
    for (
      val c: Char <- chr(Character.isLetter);
      val cs: List[Char] <- rep(chr(Character.isLetterOrDigit))
    ) yield Id((c :: cs).mkString("", "", ""));
```

Remark: Because chr(...) returns a single character, its repetition rep(chr(...)) returns a list of characters. The **yield** part of the for-comprehension converts all intermediate results into an Id node with a string as element. To convert the read characters into a string, it conses them into a single list, and invokes the mkString method on the result.

Here is a parser for numbers:

```
def number: Parser[Tree] =
  for (
    val d: Char <- chr(Character.isDigit);
    val ds: List[Char] <- rep(chr(Character.isDigit))
  ) yield Num(((d - '0') /: ds) ((x, digit) => x * 10 + digit - '0'));
```

Intermediate results are in this case the leading digit of the read number, followed by a list of remaining digits. The **yield** part of the for-comprehension reduces these



to a number by a fold-left operation.

Here is a parser for lists:

```
def list: Parser[Tree] =
  for (
    val _ <- chr('(');
    val es <- listElems ||| succeed(List());
    val _ <- chr(')')
  ) yield Lst(es);

def listElems: Parser[List[Tree]] =
  for (
    val x <- expr;
    val xs <- chr(',') &&& listElems ||| succeed(List())
  ) yield x :: xs;
```

The list parser returns a Lst node with a list of trees as elements. That list is either the result of listElems, or, if that fails, the empty list (expressed here as: the result of a parser which always succeeds with the empty list as result).

The highest level of our grammar is represented by function expr:

```
def expr: Parser[Tree] =
  ident ||| number ||| list
} // end ListParsers.
```

We now present the parser combinators that support the new scheme. Parsers that succeed now return a parse result besides the un-consumed input.

```
abstract class Parsers {
  type intype;
  trait Parser[a] {
    type Result = Option[Pair[a, intype]];
    def apply(in: intype): Result;
```

Parsers are parameterized with the type of their result. The class Parser[a] now defines new methods map, flatMap and filter. The **for** expressions are mapped by the compiler to calls of these functions using the scheme described in Chapter 10. For parsers, these methods are implemented as follows.

```
def filter(pred: a => boolean) = new Parser[a] {
  def apply(in: intype): Result = Parser.this.apply(in) match {
    case None => None
    case Some(Pair(x, in1)) => if (pred(x)) Some(Pair(x, in1)) else None
  }
}
def map[b](f: a => b) = new Parser[b] {
```

```

    def apply(in: Intype): Result = Parser.this.apply(in) match {
      case None => None
      case Some(Pair(x, in1)) => Some(Pair(f(x), in1))
    }
  }
  def flatMap[b](f: a => Parser[b]) = new Parser[b] {
    def apply(in: Intype): Result = Parser.this.apply(in) match {
      case None => None
      case Some(Pair(x, in1)) => f(x).apply(in1)
    }
  }
}

```

The `filter` method takes as parameter a predicate  $p$  which it applies to the results of the current parser. If the predicate is false, the parser fails by returning `None`; otherwise it returns the result of the current parser. The `map` method takes as parameter a function  $f$  which it applies to the results of the current parser. The `flatMap` takes as parameter a function  $f$  which returns a parser. It applies  $f$  to the result of the current parser and then continues with the resulting parser. The `|||` method is essentially defined as before. The `&&&` method can now be defined in terms of `for`.

```

def ||| (p: => Parser[a]) = new Parser[a] {
  def apply(in: Intype): Result = Parser.this.apply(in) match {
    case None => p(in)
    case s => s
  }
}

def &&& [b](p: => Parser[b]): Parser[b] =
  for (val _ <- this; val x <- p) yield x;
} // end Parser

```

The primitive parser `succeed` replaces empty. It consumes no input and returns its parameter as result.

```

def succeed[a](x: a) = new Parser[a] {
  def apply(in: Intype) = Some(Pair(x, in))
}

```

The parser combinators `rep` and `opt` now also return results. `rep` returns a list which contains as elements the results of each iteration of its sub-parser. `opt` returns a list which is either empty or returns as single element the result of the optional parser.

```

def rep[a](p: Parser[a]): Parser[List[a]] =
  rep1(p) ||| succeed(List());

def rep1[a](p: Parser[a]): Parser[List[a]] =
  for (val x <- p; val xs <- rep(p)) yield x :: xs;

```

```

    def opt[a](p: Parser[a]): Parser[List[a]] =
      (for (val x <- p) yield List(x)) ||| succeed(List());
  } // end Parsers

```

The root class `Parsers` abstracts over which kind of input is parsed. As before, we determine the input method by a separate class. Here is `ParseString`, this time adapted to parsers that return results. It defines now the method `any`, which returns the first input character.

```

class ParseString(s: String) extends Parsers {
  type intype = int;
  val input = 0;
  def any = new Parser[char] {
    def apply(in: int): Parser[char]#Result =
      if (in < s.length()) Some(Pair(s.charAt(in), in + 1)) else None;
  }
}

```

The rest of the application is as before. Here is a test program which constructs a list parser over strings and prints out the result of applying it to the command line argument.

```

object Test {
  def main(args: Array[String]): unit = {
    val ps = new ListParsers with ParseString(args(0));
    ps.expr(ps.input) match {
      case Some(Pair(list, _)) => System.out.println("parsed: " + list);
      case None => "nothing parsed"
    }
  }
}

```

**Exercise 14.2.1** The parsers we have defined so far can succeed even if there is some input beyond the parsed text. To prevent this, one needs a parser which recognizes the end of input. Redesign the parser library so that such a parser can be introduced. Which classes need to be modified?



## Chapter 15

# Hindley/Milner Type Inference

This chapter demonstrates Scala's data types and pattern matching by developing a type inference system in the Hindley/Milner style [Mil78]. The source language for the type inferencer is lambda calculus with a let construct called Mini-ML. Abstract syntax trees for the Mini-ML are represented by the following data type of Terms.

```
trait Term {}  
case class Var(x: String) extends Term {  
  override def toString() = x;  
}  
case class Lam(x: String, e: Term) extends Term {  
  override def toString() = "(\\\" + x + \".\" + e + \")\";  
}  
case class App(f: Term, e: Term) extends Term {  
  override def toString() = "(" + f + " " + e + \")\";  
}  
case class Let(x: String, e: Term, f: Term) extends Term {  
  override def toString() = "let " + x + " = " + e + " in " + f;  
}
```

There are four tree constructors: Var for variables, Lam for function abstractions, App for function applications, and Let for let expressions. Each case class overrides the toString() method of class Any, so that terms can be printed in legible form.

We next define the types that are computed by the inference system.

```
sealed trait Type {}  
case class Tyvar(a: String) extends Type {  
  override def toString() = a;  
}  
case class Arrow(t1: Type, t2: Type) extends Type {  
  override def toString() = "(" + t1 + "->" + t2 + \")\";  
}
```

```

case class Tycon(k: String, ts: List[Type]) extends Type {
  override def toString() =
    k + (if (ts.isEmpty) "" else ts.mkString("[", ", ", "]"));
}

```

There are three type constructors: Tyvar for type variables, Arrow for function types and Tycon for type constructors such as boolean or List. Type constructors have as component a list of their type parameters. This list is empty for type constants such as boolean. Again, the type constructors implement the toString method in order to display types legibly.

Note that Type is a **sealed** class. This means that no subclasses or data constructors that extend Type can be formed outside the sequence of definitions in which Type is defined. This makes Type a *closed* algebraic data type with exactly three alternatives. By contrast, type Term is an *open* algebraic type for which further alternatives can be defined.

The main parts of the type inferencer are contained in object typeInfer. We start with a utility function which creates fresh type variables:

```

object typeInfer {
  private var n: Int = 0;
  def newTyvar(): Type = { n = n + 1 ; Tyvar("a" + n) }
}

```

We next define a class for substitutions. A substitution is an idempotent function from type variables to types. It maps a finite number of type variables to some types, and leaves all other type variables unchanged. The meaning of a substitution is extended point-wise to a mapping from types to types.

```

trait Subst extends Any with Function1[Type,Type] {

  def lookup(x: Tyvar): Type;

  def apply(t: Type): Type = t match {
    case tv @ Tyvar(a) => val u = lookup(tv); if (t == u) t else apply(u);
    case Arrow(t1, t2) => Arrow(apply(t1), apply(t2))
    case Tycon(k, ts) => Tycon(k, ts map apply)
  }

  def extend(x: Tyvar, t: Type) = new Subst {
    def lookup(y: Tyvar): Type = if (x == y) t else Subst.this.lookup(y);
  }
}

val emptySubst = new Subst { def lookup(t: Tyvar): Type = t }

```

We represent substitutions as functions, of type `Type => Type`. This is achieved by making class `Subst` inherit from the unary function type `Function1[Type, Type]`<sup>1</sup>. To be an instance of this type, a substitution `s` has to implement an `apply` method that takes a `Type` as argument and yields another `Type` as result. A function application `s(t)` is then interpreted as `s.apply(t)`.

The `lookup` method is abstract in class `Subst`. There are two concrete forms of substitutions which differ in how they implement this method. One form is defined by the `emptySubst` value, the other is defined by the `extend` method in class `Subst`.

The next data type describes type schemes, which consist of a type and a list of names of type variables which appear universally quantified in the type scheme. For instance, the type scheme  $\forall a \forall b. a \rightarrow b$  would be represented in the type checker as:

```
TypeScheme(List(TyVar("a"), TyVar("b")), Arrow(Tyvar("a"), Tyvar("b"))) .
```

The class definition of type schemes does not carry an `extends` clause; this means that type schemes extend directly class `AnyRef`. Even though there is only one possible way to construct a type scheme, a case class representation was chosen since it offers convenient ways to decompose an instance of this type into its parts.

```
case class TypeScheme(tyvars: List[String], tpe: Type) {
  def newInstance: Type = {
    (emptySubst /: tyvars) ((s, tv) => s.extend(tv, newTyvar())) (tpe);
  }
}
```

Type scheme objects come with a method `newInstance`, which returns the type contained in the scheme after all universally type variables have been renamed to fresh variables. The implementation of this method folds (with `/:`) the type scheme's type variables with an operation which extends a given substitution `s` by renaming a given type variable `tv` to a fresh type variable. The resulting substitution renames all type variables of the scheme to fresh ones. This substitution is then applied to the type part of the type scheme.

The last type we need in the type inferencer is `Env`, a type for environments, which associate variable names with type schemes. They are represented by a type alias `Env` in module `typeInfer`:

```
type Env = List[Pair[String, TypeScheme]];
```

There are two operations on environments. The `lookup` function returns the type scheme associated with a given name, or `null` if the name is not recorded in the environment.

---

<sup>1</sup> The class inherits the function type as a mixin rather than as a direct superclass. This is because in the current Scala implementation, the `Function1` type is a Java interface, which cannot be used as a direct superclass of some other class.

```

def lookup(env: Env, x: String): TypeScheme = env match {
  case List() => null
  case Pair(y, t) :: env1 => if (x == y) t else lookup(env1, x)
}

```

The `gen` function turns a given type into a type scheme, quantifying over all type variables that are free in the type, but not in the environment.

```

def gen(env: Env, t: Type): TypeScheme =
  TypeScheme(tyvars(t) diff tyvars(env), t);

```

The set of free type variables of a type is simply the set of all type variables which occur in the type. It is represented here as a list of type variables, which is constructed as follows.

```

def tyvars(t: Type): List[Tyvar] = t match {
  case tv @ Tyvar(a) =>
    List(tv)
  case Arrow(t1, t2) =>
    tyvars(t1) union tyvars(t2)
  case Tycon(k, ts) =>
    (List[Tyvar]() /: ts) ((tvs, t) => tvs union tyvars(t));
}

```

Note that the syntax `tv @ ...` in the first pattern introduces a variable which is bound to the pattern that follows. Note also that the explicit type parameter `[Tyvar]` in the expression of the third clause is needed to make local type inference work.

The set of free type variables of a type scheme is the set of free type variables of its type component, excluding any quantified type variables:

```

def tyvars(ts: TypeScheme): List[Tyvar] =
  tyvars(ts.tpe) diff ts.tyvars;

```

Finally, the set of free type variables of an environment is the union of the free type variables of all type schemes recorded in it.

```

def tyvars(env: Env): List[Tyvar] =
  (List[Tyvar]() /: env) ((tvs, nt) => tvs union tyvars(nt._2));

```

A central operation of Hindley/Milner type checking is unification, which computes a substitution to make two given types equal (such a substitution is called a *unifier*). Function `mgc` computes the most general unifier of two given types  $t$  and  $u$  under a pre-existing substitution  $s$ . That is, it returns the most general substitution  $s'$  which extends  $s$ , and which makes  $s'(t)$  and  $s'(u)$  equal types.

```

def mgc(t: Type, u: Type, s: Subst): Subst = Pair(s(t), s(u)) match {
  case Pair(Tyvar(a), Tyvar(b)) if (a == b) =>

```



```

    s
  case Pair(Tyvar(a), _) if !(tyvars(u) contains a) =>
    s.extend(Tyvar(a), u)
  case Pair(_, Tyvar(a)) =>
    mgu(u, t, s)
  case Pair(Arrow(t1, t2), Arrow(u1, u2)) =>
    mgu(t1, u1, mgu(t2, u2, s))
  case Pair(Tycon(k1, ts), Tycon(k2, us)) if (k1 == k2) =>
    (s /: (ts zip us)) ((s, tu) => mgu(tu._1, tu._2, s))
  case _ =>
    throw new TypeError("cannot unify " + s(t) + " with " + s(u))
}

```

The `mgu` function throws a `TypeError` exception if no unifier substitution exists. This can happen because the two types have different type constructors at corresponding places, or because a type variable is unified with a type that contains the type variable itself. Such exceptions are modeled here as instances of case classes that inherit from the predefined `Exception` class.

```

case class TypeError(s: String) extends Exception(s) {}

```

The main task of the type checker is implemented by function `tp`. This function takes as parameters an environment `env`, a term `e`, a proto-type `t`, and a pre-existing substitution `s`. The function yields a substitution  $s'$  that extends `s` and that turns  $s'(env) \vdash e : s'(t)$  into a derivable type judgment according to the derivation rules of the Hindley/Milner type system [Mil78]. A `TypeError` exception is thrown if no such substitution exists.

```

def tp(env: Env, e: Term, t: Type, s: Subst): Subst = {
  current = e;
  e match {
    case Var(x) =>
      val u = lookup(env, x);
      if (u == null) throw new TypeError("undefined: " + x);
      else mgu(u.newInstance, t, s)

    case Lam(x, e1) =>
      val a = newTyvar(), b = newTyvar();
      val s1 = mgu(t, Arrow(a, b), s);
      val env1 = Pair(x, TypeScheme(List(), a)) :: env;
      tp(env1, e1, b, s1)

    case App(e1, e2) =>
      val a = newTyvar();
      val s1 = tp(env, e1, Arrow(a, t), s);
      tp(env, e2, a, s1)
  }
}

```

```

    case Let(x, e1, e2) =>
      val a = newTyvar();
      val s1 = tp(env, e1, a, s);
      tp(Pair(x, gen(env, s1(a))) :: env, e2, t, s1)
  }
}
var current: Term = null;

```

To aid error diagnostics, the `tp` function stores the currently analyzed sub-term in variable `current`. Thus, if type checking is aborted with a `TypeError` exception, this variable will contain the subterm that caused the problem.

The last function of the type inference module, `typeOf`, is a simplified facade for `tp`. It computes the type of a given term  $e$  in a given environment  $env$ . It does so by creating a fresh type variable  $a$ , computing a typing substitution that makes  $env \vdash e : a$  into a derivable type judgment, and returning the result of applying the substitution to  $a$ .

```

def typeOf(env: Env, e: Term): Type = {
  val a = newTyvar();
  tp(env, e, a, emptySubst)(a)
}
} // end typeInfer

```

To apply the type inferencer, it is convenient to have a predefined environment that contains bindings for commonly used constants. The module `predefined` defines an environment `env` that contains bindings for the types of booleans, numbers and lists together with some primitive operations over them. It also defines a fixed point operator `fix`, which can be used to represent recursion.

```

object predefined {
  val booleanType = Tycon("Boolean", List());
  val intType = Tycon("Int", List());
  def listType(t: Type) = Tycon("List", List(t));

  private def gen(t: Type): typeInfer.TypeScheme = typeInfer.gen(List(), t);
  private val a = typeInfer.newTyvar();
  val env = List(
    Pair("true", gen(booleanType)),
    Pair("false", gen(booleanType)),
    Pair("if", gen(Arrow(booleanType, Arrow(a, Arrow(a, a))))),
    Pair("zero", gen(intType)),
    Pair("succ", gen(Arrow(intType, intType))),
    Pair("nil", gen(listType(a))),
    Pair("cons", gen(Arrow(a, Arrow(listType(a), listType(a))))),
    Pair("isEmpty", gen(Arrow(listType(a), booleanType))),
  )
}

```

```

    Pair("head", gen(Arrow(listType(a), a))),
    Pair("tail", gen(Arrow(listType(a), listType(a)))),
    Pair("fix", gen(Arrow(Arrow(a, a), a)))
  )
}

```

Here's an example how the type inferencer can be used. Let's define a function `showType` which returns the type of a given term computed in the predefined environment `Predefined.env`:

```

object testInfer {
  def showType(e: Term): String =
    try {
      typeInfer.typeOf(predefined.env, e).toString();
    } catch {
      case typeInfer.TypeError(msg) =>
        "\n cannot type: " + typeInfer.current +
        "\n reason: " + msg;
    }
}

```

Then the application

```
> testInfer.showType(Lam("x", App(App(Var("cons"), Var("x")), Var("nil"))));
```

would give the response

```
> (a6->List[a6])
```

To make the type inferencer more useful, we complete it with a parser. Function `main` of module `testInfer` parses and typechecks a Mini-ML expression which is given as the first command line argument.

```

def main(args: Array[String]): unit = {
  val ps = new MiniMLParsers with ParseString(args(0));
  ps.all(ps.input) match {
    case Some(Pair(term, _)) =>
      System.out.println("'" + term + ": " + showType(term));
    case None =>
      System.out.println("syntax error");
  }
}
} // typeInf

```

To do the parsing, method `main` uses the combinator parser scheme of Chapter 14. It creates a parser family `ps` as a mixin composition of parsers that understand MiniML (but do not know where input comes from) and parsers that read input from a given string. The `MiniMLParsers` object implements parsers for the following gram-

mar.

```

term  ::= "\" ident "." term
        | term1 {term1}
        | "let" ident "=" term "in" term
term1 ::= ident
        | "(" term ")"
all   ::= term ";"

```

Input as a whole is described by the production `all`; it consists of a term followed by a semicolon. We allow “whitespace” consisting of one or more space, tabulator or newline characters between any two lexemes (this is not reflected in the grammar above). Identifiers are defined as in Chapter 14 except that an identifier cannot be one of the two reserved words “let” and “in”.

```

abstract class MiniMLParsers[intype] extends CharParsers[intype] {

  /** whitespace */
  def whitespace = rep{chr(' ') ||| chr('\t') ||| chr('\n')};

  /** A given character, possible preceded by whitespace */
  def wschr(ch: char) = whitespace &&& chr(ch);

  /** identifiers or keywords */
  def id: Parser[String] =
    for (
      val c: char <- whitespace &&& chr(Character.isLetter);
      val cs: List[char] <- rep(chr(Character.isLetterOrDigit))
    ) yield (c :: cs).mkString("", "", "");

  /** Non-keyword identifiers */
  def ident: Parser[String] =
    for (val s <- id; s != "let" && s != "in") yield s;

  /** term = '\' ident '.' term | term1 {term1} | let ident "=" term in term */
  def term: Parser[Term] =
    ( for (
      val _ <- wschr('\');
      val x <- ident;
      val _ <- wschr('.');
      val t <- term)
      yield Lam(x, t): Term )
    |||
    ( for (
      val letid <- id; letid == "let";
      val x <- ident;
      val _ <- wschr('=');

```

```

    val t <- term;
    val inid <- id; inid == "in";
    val c <- term)
  yield Let(x, t, c) )
|||
( for (
  val t <- term1;
  val ts <- rep(term1))
  yield (t /: ts)((f, arg) => App(f, arg)) );

/** term1 = ident / '(' term ')' */
def term1: Parser[Term] =
  ( for (val s <- ident)
    yield Var(s): Term )
  |||
  ( for (
    val _ <- wschr('(');
    val t <- term;
    val _ <- wschr(')'))
    yield t );

/** all = term ';' */
def all: Parser[Term] =
  for (
    val t <- term;
    val _ <- wschr(';'))
  yield t;
}

```

Here are some sample MiniML programs and the output the type inferencer gives for each of them:

```

> java testInfer
| "\x.\f.f(f x);"
(\x.(\f.(f (f x)))): (a8->((a8->a8)->a8))

> java testInfer
| "let id = \x.x
| in if (id true) (id nil) (id (cons zero nil));"
let id = (\x.x) in (((if (id true)) (id nil)) (id ((cons zero) nil))): List[Int]

> java testInfer
| "let id = \x.x
| in if (id true) (id nil);"
let id = (\x.x) in ((if (id true)) (id nil)): (List[a13]->List[a13])

```

```

> java testInfer
| "let length = fix (\len.\xs.
|   if (isEmpty xs)
|     zero
|     (succ (len (tail xs))))
| in (length nil);"
let length = (fix (\len.\xs.(((if (isEmpty xs)) zero)
(succ (len (tail xs)))))) in (length nil): Int

> java testInfer
| "let id = \x.x
| in if (id true) (id nil) zero;"
let id = (\x.x) in (((if (id true)) (id nil)) zero):
cannot type: zero
reason: cannot unify Int with List[a14]

```

**Exercise 15.0.2** Using the parser library constructed in Exercise Exercise 14.2.1, modify the MiniML parser library so that no marker “;” is necessary for indicating the end of input.

**Exercise 15.0.3** Extend the Mini-ML parser and type inferencer with a letrec construct which allows the definition of recursive functions. Syntax:

```
letrec ident "=" term in term .
```

The typing of letrec is as for let, except that the defined identifier is visible in the defining expression. Using letrec, the length function for lists can now be defined as follows.

```

letrec length = \xs.
  if (isEmpty xs)
    zero
    (succ (length (tail xs)))
in ...

```

## Chapter 16

# Abstractions for Concurrency

This section reviews common concurrent programming patterns and shows how they can be implemented in Scala.

### 16.1 Signals and Monitors

**Example 16.1.1** The *monitor* provides the basic means for mutual exclusion of processes in Scala. Every instance of class `AnyRef` can be used as a monitor by calling one or more of the methods below.

```
def synchronized[a] (e: => a): a;  
def wait(): unit;  
def wait(msec: long): unit;  
def notify(): unit;  
def notifyAll(): unit;
```

The `synchronized` method executes its argument computation `e` in mutual exclusive mode – at any one time, only one thread can execute a `synchronized` argument of a given monitor.

Threads can suspend inside a monitor by waiting on a signal. Threads that call the `wait` method wait until a `notify` method of the same object is called subsequently by some other thread. Calls to `notify` with no threads waiting for the signal are ignored.

There is also a timed form of `wait`, which blocks only as long as no signal was received or the specified amount of time (given in milliseconds) has elapsed. Furthermore, there is a `notifyAll` method which unblocks all threads which wait for the signal. These methods, as well as class `Monitor` are primitive in Scala; they are implemented in terms of the underlying runtime system.

Typically, a thread waits for some condition to be established. If the condition does not hold at the time of the wait call, the thread blocks until some other thread has established the condition. It is the responsibility of this other thread to wake up waiting processes by issuing a notify or notifyAll. Note however, that there is no guarantee that a waiting process gets to run immediately after the call to notify is issued. It could be that other processes get to run first which invalidate the condition again. Therefore, the correct form of waiting for a condition *C* uses a while loop:

```
while (!C) wait();
```

As an example of how monitors are used, here is an implementation of a bounded buffer class.

```
class BoundedBuffer[a](N: Int) {
  var in = 0, out = 0, n = 0;
  val elems = new Array[a](N);

  def put(x: a) = synchronized {
    while (n >= N) wait();
    elems(in) = x ; in = (in + 1) % N ; n = n + 1;
    if (n == 1) notifyAll();
  }

  def get: a = synchronized {
    while (n == 0) wait();
    val x = elems(out) ; out = (out + 1) % N ; n = n - 1;
    if (n == N - 1) notifyAll();
    x
  }
}
```

And here is a program using a bounded buffer to communicate between a producer and a consumer process.

```
import scala.concurrent.ops._;
...
val buf = new BoundedBuffer[String](10);
spawn { while (true) { val s = produceString ; buf.put(s) } }
spawn { while (true) { val s = buf.get ; consumeString(s) } }
}
```

The spawn method spawns a new thread which executes the expression given in the parameter. It is defined in object concurrent.ops as follows.

```
def spawn(p: => unit) = {
  val t = new Thread() { override def run() = p; }
  t.start()
}
```



```
}
```

## 16.2 SyncVars

A synchronized variable (or syncvar for short) offers get and put operations to read and set the variable. get operations block until the variable has been defined. An unset operation resets the variable to undefined state.

Here's the standard implementation of synchronized variables.

```
package scala.concurrent;
class SyncVar[a] {
  private var isDefined: Boolean = false;
  private var value: a = _;
  def get = synchronized {
    if (!isDefined) wait();
    value
  }
  def set(x: a) = synchronized {
    value = x ; isDefined = true ; notifyAll();
  }
  def isSet: Boolean = synchronized {
    isDefined;
  }
  def unset = synchronized {
    isDefined = false;
  }
}
```

## 16.3 Futures

A *future* is a value which is computed in parallel to some other client thread, to be used by the client thread at some future time. Futures are used in order to make good use of parallel processing resources. A typical usage is:

```
import scala.concurrent.ops._;
...
val x = future(someLengthyComputation);
anotherLengthyComputation;
val y = f(x()) + g(x());
```

The future method is defined in object `scala.concurrent.ops` as follows.

```
def future[a](p: => a): unit => a = {
```

```

val result = new SyncVar[a];
fork { result.set(p) }
  (() => result.get)
}

```

The `future` method gets as parameter a computation `p` to be performed. The type of the computation is arbitrary; it is represented by `future`'s type parameter `a`. The `future` method defines a guard `result`, which takes a parameter representing the result of the computation. It then forks off a new thread that computes the result and invokes the `result` guard when it is finished. In parallel to this thread, the function returns an anonymous function of type `a`. When called, this function waits on the `result` guard to be invoked, and, once this happens returns the `result` argument. At the same time, the function reinvokes the `result` guard with the same argument, so that future invocations of the function can return the result immediately.

## 16.4 Parallel Computations

The next example presents a function `par` which takes a pair of computations as parameters and which returns the results of the computations in another pair. The two computations are performed in parallel.

The function is defined in object `scala.concurrent.ops` as follows.

```

def par[a, b](xp: => a, yp: => b): Pair[a, b] = {
  val y = new SyncVar[b];
  spawn { y set yp }
  Pair(xp, y.get)
}

```

Defined in the same place is a function `replicate` which performs a number of replicates of a computation in parallel. Each replication instance is passed an integer number which identifies it.

```

def replicate(start: Int, end: Int)(p: Int => Unit): Unit = {
  if (start == end)
    ()
  else if (start + 1 == end)
    p(start)
  else {
    val mid = (start + end) / 2;
    spawn { replicate(start, mid)(p) }
    replicate(mid, end)(p)
  }
}

```

The next function uses `replicate` to perform parallel computations on all elements of an array.

```
def parMap[a,b](f: a => b, xs: Array[a]): Array[b] = {  
  val results = new Array[b](xs.length);  
  replicate(0, xs.length) { i => results(i) = f(xs(i)) }  
  results  
}
```

## 16.5 Semaphores

A common mechanism for process synchronization is a *lock* (or: *semaphore*). A lock offers two atomic actions: *acquire* and *release*. Here's the implementation of a lock in Scala:

```
package scala.concurrent;  
  
class Lock {  
  var available = true;  
  def acquire = synchronized {  
    if (!available) wait();  
    available = false  
  }  
  def release = synchronized {  
    available = true;  
    notify()  
  }  
}
```

## 16.6 Readers/Writers

A more complex form of synchronization distinguishes between *readers* which access a common resource without modifying it and *writers* which can both access and modify it. To synchronize readers and writers we need to implement operations *startRead*, *startWrite*, *endRead*, *endWrite*, such that:

- there can be multiple concurrent readers,
- there can only be one writer at one time,
- pending write requests have priority over pending read requests, but don't preempt ongoing read operations.

The following implementation of a readers/writers lock is based on the *mailbox* concept (see Section 16.10).

```

import scala.concurrent._;

class ReadersWriters {
  val m = new MailBox;
  private case class Writers(n: Int), Readers(n: Int) { m send this; };
  Writers(0); Readers(0);
  def startRead = m receive {
    case Writers(n) if n == 0 => m receive {
      case Readers(n) => Writers(0) ; Readers(n+1);
    }
  }
  def startWrite = m receive {
    case Writers(n) =>
      Writers(n+1);
    m receive { case Readers(n) if n == 0 => }
  }
  def endRead = m receive {
    case Readers(n) => Readers(n-1)
  }
  def endWrite = m receive {
    case Writers(n) => Writers(n-1) ; if (n == 0) Readers(0)
  }
}

```

## 16.7 Asynchronous Channels

A fundamental way of interprocess communication is the asynchronous channel. Its implementation makes use of the following simple class for linked lists:

```

class LinkedList[a] {
  var elem: a = _;
  var next: LinkedList[a] = null;
}

```

To facilitate insertion and deletion of elements into linked lists, every reference into a linked list points to the node which precedes the node which conceptually forms the top of the list. Empty linked lists start with a dummy node, whose successor is **null**.

The channel class uses a linked list to store data that has been sent but not read yet. At the opposite end, threads that wish to read from an empty channel, register their presence by incrementing the `nreaders` field and waiting to be notified.

```

package scala.concurrent;

```

```

class Channel[a] {
  class LinkedList[a] {
    var elem: a = _;
    var next: LinkedList[a] = null;
  }
  private var written = new LinkedList[a];
  private var lastWritten = written;
  private var nreaders = 0;

  def write(x: a) = synchronized {
    lastWritten.elem = x;
    lastWritten.next = new LinkedList[a];
    lastWritten = lastWritten.next;
    if (nreaders > 0) notify();
  }

  def read: a = synchronized {
    if (written.next == null) {
      nreaders = nreaders + 1; wait(); nreaders = nreaders - 1;
    }
    val x = written.elem;
    written = written.next;
    x
  }
}

```

## 16.8 Synchronous Channels

Here's an implementation of synchronous channels, where the sender of a message blocks until that message has been received. Synchronous channels only need a single variable to store messages in transit, but three signals are used to coordinate reader and writer processes.

```

package scala.concurrent;

class SyncChannel[a] {
  private var data: a = _;
  private var reading = false;
  private var writing = false;

  def write(x: a) = synchronized {
    while (writing) wait();
    data = x;
    writing = true;
  }
}

```

```

    if (reading) notifyAll();
    else while (!reading) wait();
  }

  def read: a = synchronized {
    while (reading) wait();
    reading = true;
    while (!writing) wait();
    val x = data;
    writing = false;
    reading = false;
    notifyAll();
    x
  }
}

```

## 16.9 Workers

Here's an implementation of a *compute server* in Scala. The server implements a future method which evaluates a given expression in parallel with its caller. Unlike the implementation in Section 16.3 the server computes futures only with a predefined number of threads. A possible implementation of the server could run each thread on a separate processor, and could hence avoid the overhead inherent in context-switching several threads on a single processor.

```

import scala.concurrent._, scala.concurrent.ops._;

class ComputeServer(n: Int) {

  private trait Job {
    type t;
    def task: t;
    def ret(x: t): Unit;
  }

  private val openJobs = new Channel[Job]();

  private def processor(i: Int): Unit = {
    while (true) {
      val job = openJobs.read;
      job.ret(job.task)
    }
  }
}

```

```

def future[a](p: => a): () => a = {
  val reply = new SyncVar[a]();
  openJobs.write{
    new Job {
      type t = a;
      def task = p;
      def ret(x: a) = reply.set(x);
    }
  }
  () => reply.get
}

spawn(replicate(0, n) { processor })
}

```

Expressions to be computed (i.e. arguments to calls of `future`) are written to the `openJobs` channel. A *job* is an object with

- An abstract type `t` which describes the result of the compute job.
- A parameterless task method of type `t` which denotes the expression to be computed.
- A **return** method which consumes the result once it is computed.

The compute server creates  $n$  processor processes as part of its initialization. Every such process repeatedly consumes an open job, evaluates the job's task method and passes the result on to the job's **return** method. The polymorphic `future` method creates a new job where the **return** method is implemented by a guard named `reply` and inserts this job into the set of open jobs by calling the `isOpen` guard. It then waits until the corresponding `reply` guard is called.

The example demonstrates the use of abstract types. The abstract type `t` keeps track of the result type of a job, which can vary between different jobs. Without abstract types it would be impossible to implement the same class to the user in a statically type-safe way, without relying on dynamic type tests and type casts.

Here is some code which uses the compute server to evaluate the expression  $41 + 1$ .

```

object Test with Executable {
  val server = new ComputeServer(1);
  val f = server.future(41 + 1);
  Console.println(f())
}

```

## 16.10 Mailboxes

Mailboxes are high-level, flexible constructs for process synchronization and communication. They allow sending and receiving of messages. A *message* in this context is an arbitrary object. There is a special message `TIMEOUT` which is used to signal a time-out.

```
case object TIMEOUT;
```

Mailboxes implement the following signature.

```
class MailBox {
  def send(msg: Any): unit;
  def receive[a](f: PartialFunction[Any, a]): a;
  def receiveWithin[a](msec: long)(f: PartialFunction[Any, a]): a;
}
```

The state of a mailbox consists of a multi-set of messages. Messages are added to the mailbox the `send` method. Messages are removed using the `receive` method, which is passed a message processor `f` as argument, which is a partial function from messages to some arbitrary result type. Typically, this function is implemented as a pattern matching expression. The `receive` method blocks until there is a message in the mailbox for which its message processor is defined. The matching message is then removed from the mailbox and the blocked thread is restarted by applying the message processor to the message. Both sent messages and receivers are ordered in time. A receiver `r` is applied to a matching message `m` only if there is no other (message, receiver) pair which precedes  $(m, r)$  in the partial ordering on pairs that orders each component in time.

As a simple example of how mailboxes are used, consider a one-place buffer:

```
class OnePlaceBuffer {
  private val m = new MailBox;           // An internal mailbox
  private case class Empty, Full(x: int); // Types of messages we deal with
  m send Empty;                          // Initialization
  def write(x: int): unit =
    m receive { case Empty => m send Full(x) }
  def read: int =
    m receive { case Full(x) => m send Empty ; x }
}
```

Here's how the mailbox class can be implemented:

```
class MailBox {
  private abstract class Receiver extends Signal {
    def isDefined(msg: Any): boolean;
    var msg = null;
```



```
}
```

We define an internal class for receivers with a test method `isDefined`, which indicates whether the receiver is defined for a given message. The receiver inherits from class `Signal` a `notify` method which is used to wake up a receiver thread. When the receiver thread is woken up, the message it needs to be applied to is stored in the `msg` variable of `Receiver`.

```
private val sent = new LinkedList[Any];
private var lastSent = sent;
private val receivers = new LinkedList[Receiver];
private var lastReceiver = receivers;
```

The mailbox class maintains two linked lists, one for sent but unconsumed messages, the other for waiting receivers.

```
def send(msg: Any): unit = synchronized {
  var r = receivers, r1 = r.next;
  while (r1 != null && !r1.elem.isDefined(msg)) {
    r = r1; r1 = r1.next;
  }
  if (r1 != null) {
    r.next = r1.next; r1.elem.msg = msg; r1.elem.notify;
  } else {
    lastSent = insert(lastSent, msg);
  }
}
```

The `send` method first checks whether a waiting receiver is applicable to the sent message. If yes, the receiver is notified. Otherwise, the message is appended to the linked list of sent messages.

```
def receive[a](f: PartialFunction[Any, a]): a = {
  val msg: Any = synchronized {
    var s = sent, s1 = s.next;
    while (s1 != null && !f.isDefinedAt(s1.elem)) {
      s = s1; s1 = s1.next
    }
    if (s1 != null) {
      s.next = s1.next; s1.elem
    } else {
      val r = insert(lastReceiver, new Receiver {
        def isDefined(msg: Any) = f.isDefinedAt(msg);
      });
      lastReceiver = r;
      r.elem.wait();
      r.elem.msg
    }
  }
}
```

```

    }
  }
  f(msg)
}

```

The receive method first checks whether the message processor function  $f$  can be applied to a message that has already been sent but that was not yet consumed. If yes, the thread continues immediately by applying  $f$  to the message. Otherwise, a new receiver is created and linked into the receivers list, and the thread waits for a notification on this receiver. Once the thread is woken up again, it continues by applying  $f$  to the message that was stored in the receiver. The insert method on linked lists is defined as follows.

```

def insert(l: LinkedList[a], x: a): LinkedList[a] = {
  l.next = new LinkedList[a];
  l.next.elem = x;
  l.next.next = l.next;
  l
}

```

The mailbox class also offers a method `receiveWithin` which blocks for only a specified maximal amount of time. If no message is received within the specified time interval (given in milliseconds), the message processor argument  $f$  will be unblocked with the special `TIMEOUT` message. The implementation of `receiveWithin` is quite similar to `receive`:

```

def receiveWithin[a](msec: long)(f: PartialFunction[Any, a]): a = {
  val msg: Any = synchronized {
    var s = sent, s1 = s.next;
    while (s1 != null && !f.isDefinedAt(s1.elem)) {
      s = s1; s1 = s1.next ;
    }
    if (s1 != null) {
      s.next = s1.next; s1.elem
    } else {
      val r = insert(lastReceiver, new Receiver {
        def isDefined(msg: Any) = f.isDefinedAt(msg);
      });
      lastReceiver = r;
      r.elem.wait(msec);
      if (r.elem.msg == null) r.elem.msg = TIMEOUT;
      r.elem.msg
    }
  }
  f(msg)
}

```

```
} // end MailBox
```

The only differences are the timed call to wait, and the statement following it.

## 16.11 Actors

Chapter 3 sketched as a program example the implementation of an electronic auction service. This service was based on high-level actor processes, that work by inspecting messages in their mailbox using pattern matching. An actor is simply a thread whose communication primitives are those of a mailbox. Actors are hence defined as a mixin composition extension of Java's standard Thread class with the MailBox class.

```
abstract class Actor extends Thread with MailBox;
```



# Bibliography

- [ASS96] Harold Abelson, Gerald Jay Sussman, and Julie Sussman. *The Structure and Interpretation of Computer Programs, 2nd edition*. MIT Press, Cambridge, Massachusetts, 1996.
- [Mil78] Robin Milner. A theory of type polymorphism in programming. *Journal of Computer and System Sciences*, 17:348–375, Dec 1978.
- [Wir77] Niklaus Wirth. What can we do about the unnecessary diversity of notation for syntactic definitions? *Comm. ACM*, 20:822–823, November 1977.